



US00D390455S

United States Patent [19]

Dure

[11] Patent Number: **Des. 390,455**

[45] Date of Patent: ****Feb. 10, 1998**

[54] **CARTRIDGE FOR USE WITH A FILTER BAG**

[75] Inventor: **Jan B. Dure**, Växjö, Sweden

[73] Assignee: **ABB Fläkt AB**, Stockholm, Sweden

[**] Term: **14 Years**

[21] Appl. No.: **46,968**

[22] Filed: **Nov. 22, 1995**

[30] **Foreign Application Priority Data**

May 24, 1995 [SE] Sweden 95 1084

[51] LOC (6) Cl. **09-05**

[52] U.S. Cl. **D9/306**

[58] Field of Search D9/305, 306; 383/33;
220/461, 642; 229/93

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,654,892	10/1953	Szabo	383/33	X
4,512,463	4/1985	Ward	220/461	X
4,867,576	9/1989	Boyd	383/33	
5,476,322	12/1995	Stoddy	383/33	

5,478,152	12/1995	Bogle	383/33	
5,553,733	9/1996	Rosenthal	206/457	X

OTHER PUBLICATIONS

Modern Packaging, Jun. 1975, p. 52, HDPE material drum liner bag.

Primary Examiner—Martie Thompson
Attorney, Agent, or Firm—Burns, Doane, Swecker & Mathis, L.L.P.

[57] **CLAIM**

The ornamental design for a cartridge for use with a filter bag, as shown.

DESCRIPTION

FIG. 1 is a top perspective view of the cartridge for use with a filter bag as seen from one side;
FIG. 2 is a bottom perspective view of the cartridge for use with a filter bag as seen from one side;
FIG. 3 is a top perspective view of the cartridge for use with a filter bag as seen from the side opposite that shown in FIG. 1; and,
FIG. 4 is a bottom perspective view of the cartridge for use with a filter bag as seen from the side opposite that shown in FIG. 2.

1 Claim, 2 Drawing Sheets





FIG. 1





FIG. 2

FIG. 3





FIG. 4