

US00D390538S

United States Patent [19]
Andrus

[11] **Patent Number:** **Des. 390,538**
[45] **Date of Patent:** ****Feb. 10, 1998**

[54] **SURFACE MOUNTABLE REED SWITCH**

4,943,791 7/1990 Holce et al. 335/151 X
5,293,523 3/1994 Posey 335/205

[75] **Inventor:** **Everett R. Andrus**, Chickasha, Okla.

[73] **Assignee:** **Hermetic Switch, Inc.**, Chickasha, Okla.

[**] **Term:** **14 Years**

[21] **Appl. No.:** **46,890**

[22] **Filed:** **Nov. 20, 1995**

[51] **LOC (6) Cl.** **13-03**

[52] **U.S. Cl.** **D13/172**

[58] **Field of Search** D13/172; 335/151-154,
335/205-207

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,086,085 4/1963 Palm 335/152
3,609,524 9/1971 Kazmer 324/28 RS
3,763,449 10/1973 Kimball 335/151
3,771,048 11/1973 Bond et al. 324/28 RS

FOREIGN PATENT DOCUMENTS

64-50969 2/1989 Japan .

Primary Examiner—Alan P. Douglas

Assistant Examiner—Lavone D. Tabor

Attorney, Agent, or Firm—James T. Robinson

[57] **CLAIM**

The ornamental design for a surface mountable reed switch, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a surface mountable reed switch;

FIG. 2 is a rear elevation view thereof;


FIG. 3 is a left side elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6