



US00D390551S

United States Patent [19]

Omino

[11] Patent Number: **Des. 390,551**

[45] Date of Patent: ****Feb. 10, 1998**

[54] **FACSIMILE TRANSMITTER-RECEIVER**

[75] Inventor: **Seiichi Omino, Kawasaki, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **68,407**

[22] Filed: **Apr. 2, 1997**

[30] **Foreign Application Priority Data**

Oct. 16, 1996 [JP] Japan 8-30938

[51] LOC (6) Cl. **16-03**

[52] U.S. Cl. **D14/118**

[58] Field of Search D14/118, 124,
D14/299; 358/400, 401; D18/36, 37

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 331,923 12/1992 Hiroki et al. D14/118
D. 355,905 2/1995 Takeuchi D14/118

D. 355,907 2/1995 Takeuchi D14/118
D. 365,555 12/1995 Fukotani et al. D14/118
D. 370,479 6/1996 Omino D14/118
D. 374,030 9/1996 Horiki et al. D14/118 X
5,329,377 7/1994 Gregg 358/400
5,387,980 2/1995 Baitz et al. 358/400

Primary Examiner—Prabhakar G. Deshmukh
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for a facsimile transmitter-receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a facsimile transmitter-receiver showing my new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and
FIG. 7 is a perspective view thereof.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

