

US00D390586S

United States Patent [19]
Hasegawa

[11] **Patent Number: Des. 390,586**
[45] **Date of Patent: **Feb. 10, 1998**

[54] **IMAGE PICK-UP DEVICE**

[75] **Inventor: Masato Hasegawa, Kawasaki, Japan**

[73] **Assignee: Canon Kabushiki Kaisha, Tokyo, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 67,825**

[22] **Filed: Mar. 12, 1997**

[30] **Foreign Application Priority Data**

Sep. 13, 1996 [JP] Japan 8-27482

[51] **LOC (6) Cl. 16-01**

[52] **U.S. Cl. D16/202; D14/107**

[58] **Field of Search D14/100, 105, D14/107, 114, 130; D16/200-205, 208, 242; 348/14, 15-20, 373-376; 379/53; 396/535-544**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 305,643 1/1990 Stark et al. D14/105
D. 315,742 3/1991 Matsumoto D16/205
D. 341,614 11/1993 Okamoto D16/202

D. 349,126 7/1994 Lee D16/242
D. 370,010 5/1996 Clapp D14/103

OTHER PUBLICATIONS

Canon Catalog, cover page(Image inputting device), Dec. 1995.

Primary Examiner—Philip S. Hyder

Assistant Examiner—Adir Aronovich

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for an image pick-up device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an image pick-up device showing my new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;


FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

