



US00D390704S

United States Patent [19]
Bloch

[11] **Patent Number:** **Des. 390,704**
[45] **Date of Patent:** ****Feb. 17, 1998**

[54] **STRAP DEVICE FOR CARRYING ROLLED ARTICLE**

[76] **Inventor:** **Derrick Bloch**, 40 Asquith Ave., Suite 728, Toronto, Ontario, Canada, M4W 1J6

[**] **Term:** **14 Years**

[21] **Appl. No.:** **62,124**

[22] **Filed:** **Nov. 7, 1996**

[51] **LOC (6) Cl.** **03-99**

[52] **U.S. Cl.** **D3/327**

[58] **Field of Search** **D3/327, 318, 272; 190/27, 119; 294/155, 157; 224/578, 579, 580, 250, 259, 901.4, 901.8, 257, 258, 917**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 216,075	11/1969	D'Elia et al.	D3/327
265,742	10/1882	Buteler .		
D. 368,372	4/1996	Dennison	D3/327
712,137	10/1902	Jackson .		
1,237,243	8/1917	Conner .		
2,416,602	2/1947	Wilson et al. .		
3,092,223	6/1963	Martin .		
3,933,287	1/1976	Foley	D3/327 X

4,483,380	11/1984	Beran	224/917 X
4,700,818	10/1987	Orwin .		
4,724,989	2/1988	Silberberg	224/258 X
4,729,591	3/1988	Scalise	224/917 X
5,083,692	1/1992	Treese	224/258 X
5,405,002	4/1995	Troia	224/607 X

Primary Examiner—Prabhakar G. Deshmukh
Attorney, Agent, or Firm—George R. McGuire


[57] **CLAIM**

The ornamental design for strap device for carrying rolled article, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a strap device for carrying rolled article showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a right side elevational view thereof, the left side elevational view being a mirror image thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a rear elevational view thereof; and,
FIG. 7 is a perspective view thereof, shown in it's environmental use.
The broken line showing of connectors and rolled article is for illustrative purpose only and forms no part of the claim.

1 Claim, 4 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6






FIG. 7