



US00D390735S

# United States Patent [19]

Brauer, Jr.

[11] Patent Number: **Des. 390,735**

[45] Date of Patent: **\*\*Feb. 17, 1998**

[54] SOAP SAVER DEVICE

D. 303,890 10/1989 Pilot ..... D6/523  
4,427,159 1/1984 Miller et al. .... D6/523 X

[76] Inventor: **Fred E. Brauer, Jr.**, 113 Greene Rd., #2, Warminster, Pa. 18974

*Primary Examiner*—Brian N. Vinson

[\*\*] Term: **14 Years**

[57] **CLAIM**

The ornamental design for a soap saver device, as shown.

[21] Appl. No.: **55,626**

### DESCRIPTION

[22] Filed: **Jun. 10, 1996**

[51] LOC (6) Cl. .... **07-07**

[52] U.S. Cl. .... **D6/536**

[58] Field of Search ..... D6/536-540, 542, D6/545, 529, 512, 523; D8/346; 206/77.1, 389

FIG. 1 is a top view of the soap saver device of the present invention;

FIG. 2 is a bottom view of the soap saver device of FIG. 1;

FIG. 3 is a right side view of the soap saver device of FIG. 1;

FIG. 4 is a left side view of the soap saver device of FIG. 1;

FIG. 5 is a cross section view of the soap saver device along line 5-5 of FIG. 1;

FIG. 6 is a front view of the soap saver device of FIG. 1; and,

FIG. 7 is a rear view of the soap saver device of FIG. 1.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 257,805 1/1981 Havener et al. .... D6/523  
D. 261,452 10/1981 Chandler ..... D6/523  
D. 279,640 7/1985 Walbeck ..... D6/540 X

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

