



US00D390772S

**United States Patent** [19]  
**Hare**

[11] **Patent Number: Des. 390,772**

[45] **Date of Patent: \*\*Feb. 17, 1998**

[54] **WHEEL LOCK**

[76] **Inventor: Thomas D. Hare, Rte. 2, Box 175,  
Wynne, Ark. 72396**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 63,750**

[22] **Filed: Dec. 16, 1996**

[51] **LOC (6) Cl. .... 08-07**

[52] **U.S. Cl. .... D8/333**

[58] **Field of Search .... D8/330-331, 333,  
D8/343; 70/19, 225-227, 259-260**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 275,073	8/1984	Winter	.....	D8/330
D. 371,300	7/1996	Mordick	.....	D8/343
4,441,586	4/1984	Bernier	.....	70/19 X

*Primary Examiner*—Brian N. Vinson  
*Attorney, Agent, or Firm*—Stephen D. Carver

[57] **CLAIM**

The ornamental design for a wheel lock, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the preferred embodiment of my invention taken generally from the front;  
FIG. 2 is a perspective view similar to FIG. 1 but taken generally from the rear;  
FIG. 3 is a side elevational view with the opposite side being a mirror image thereof;  
FIG. 4 is a top plan view with the opposite side being a mirror image thereof;  
FIG. 5 is a front elevational view; and,  
FIG. 6 is a rear elevational view of the invention.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

