



US00D390832S

**United States Patent** [19]  
**Yanaka et al.**

[11] **Patent Number:** **Des. 390,832**  
[45] **Date of Patent:** **\*\*Feb. 17, 1998**

[54] **ELECTRONIC DEVICE**

[75] **Inventors:** **Hiroshi Yanaka; Hideki Kitamura,**  
both of Fujisawa, Japan

[73] **Assignee:** **Elna Kabushiki Kaisha,** Fujisawa,  
Japan

[\*\*] **Term:** **14 Years**

[21] **Appl. No.:** **63,552**

[22] **Filed:** **Dec. 10, 1996**

[51] **LOC (6) Cl.** ..... **13-03**

[52] **U.S. Cl.** ..... **D13/182**

[58] **Field of Search** ..... **D13/182, 110,**  
**D13/125, 173, 184, 199; 29/740, 840; 174/48-52.4,**  
**260, 261; 361/760; 439/68, 71, 331**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 244,095 4/1977 Wahi et al. .... D13/125

D. 356,778 3/1995 Takeda et al. .... D13/182

5,302,778 4/1994 Maurinus ..... 174/52.4

5,357,673 10/1994 Polak et al. .... 174/52.2 X

*Primary Examiner*—James Gandy

*Assistant Examiner*—Cathron B. Matta

*Attorney, Agent, or Firm*—Kanesaka & Takeuchi

[57] **CLAIM**

The ornamental design for an electronic device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of an electronic device showing our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a left side view thereof with a right side view appearing as mirror image to the left side view;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a perspective view from a view point at the right and above the electronic device in FIG. 1; and,

FIG. 7 is a perspective view from a point at the right and above the electronic device in FIG. 2.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7

