US00D390987S

United States Patent [19]

Zurwelle

[11] Patent Number: Des. 390,987

[45] Date of Patent: **Feb. 17, 1998

[54] **CORDLESS FLASHLIGHT**

[75] Inventor: **Donald W. Zurwelle**, Lutherville, Md.

[73] Assignee: **Black & Decker Inc.**, Newark, Del.

[**] Term: **14 Years**

[21] Appl. No.: **65,722**

[22] Filed: **Dec. 6, 1996**

Related U.S. Application Data

[62] Division of Ser. No. 42,564, Aug. 17, 1995.

[51] **LOC (6) Cl.** **26-02**

[52] **U.S. Cl.** **D26/46**

[58] **Field of Search** D26/37, 38, 44, D26/46, 49; 362/157, 158, 183, 196–199, 202–205, 207, 208

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 307,057	4/1990	Seok	D26/49
D. 311,593	10/1990	Fenne	D26/46
D. 330,942	11/1992	Leung	D26/37
D. 332,320	1/1993	Gammache	D26/44
D. 375,570	11/1996	Hayakawa et al.	D26/44
2,097,222	10/1937	Tompkins et al.	362/205 X

FOREIGN PATENT DOCUMENTS

0266160	9/1992	European Pat. Off. .

Primary Examiner—Kay H. Chin
Assistant Examiner—Lavone D. Tabor
Attorney, Agent, or Firm—Dennis A. Dearing; John D. Del Ponti; Charles E. Yocum

[57] **CLAIM**

The ornamental design for a cordless flashlight, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of a first embodiment of a cordless flashlight showing my new design with the light in a right angular configuration;
FIG. **2** is a front elevational view of the first embodiment;
FIG. **3** is a rear elevational view of the first embodiment;
FIG. **4** is a left side elevational view of the first embodiment. The right side elevational view is a mirror image of the left side;
FIG. **5** is a top plan view of the first embodiment;
FIG. **6** is a bottom plan view of the first embodiment;
FIG. **7** is a front perspective view of a second embodiment of a cordless flashlight showing my new design with the light in a right angular configuration;
FIG. **8** is a front elevational view of the second embodiment;
FIG. **9** is a rear elevational view of the second embodiment;
FIG. **10** is a left side elevational view of the second embodiment. The right side elevational view is a mirror image of the left side;
FIG. **11** is a top plan view of the second embodiment;
FIG. **12** is a bottom plan view of the second embodiment;
FIG. **13** is a front perspective view of a third embodiiment of a cordless flashlight showing my new design with the light in a right angular configuration;
FIG. **14** is a front elevational view of the third embodiment;
FIG. **15** is a rear elevational view of the third embodiment;
FIG. **16** is a left side elevational view of the third embodiment. The right side elevational view is a mirror image of the left side;
FIG. **17** is a top plan view of the third embodiment; and,
FIG. **18** is a bottom plan view of the third embodiment.

1 Claim, 9 Drawing Sheets





FIG. 1



FIG. 3



FIG. 2



FIG. 6



FIG. 5



FIG. 4



FIG. 7



FIG. 9



FIG. 8



FIG. 12



FIG. 11



FIG. 10



FIG. 13



FIG. 15



FIG. 14



FIG. 18



FIG. 17



FIG. 16