



US00D391287S

United States Patent [19]
Katayama et al.

[11] **Patent Number: Des. 391,287**
[45] **Date of Patent: **Feb. 24, 1998**

[54] **INK RIBBON CARTRIDGE**

[75] **Inventors: Shigeharu Katayama, Kakamigahara; Takashi Yamamoto, Nagoya, both of Japan**

[73] **Assignee: Brother Kogyo Kabushiki Kaisha, Aichi-ken, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 60,810**

[22] **Filed: Oct. 8, 1996**

[30] **Foreign Application Priority Data**

Apr. 25, 1996 [JP] Japan 8-12489

[51] **LOC (6) Cl. 18-01**

[52] **U.S. Cl. D18/12**

[58] **Field of Search D18/12, 56, 99; D14/121; 400/194-196.1, 207, 208**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 261,277 10/1981 Hashimoto et al. D18/12

D. 281,258 11/1985 Schiffmacher D18/12 X
D. 286,058 10/1986 Yamamoto D18/12
D. 302,438 7/1989 Omino et al. D18/12
D. 357,497 4/1995 Gray et al. D18/12

Primary Examiner—Caron D. Veynar
Attorney, Agent, or Firm—Oliff & Berridge

[57] **CLAIM**

The ornamental design for an ink ribbon cartridge, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an ink ribbon cartridge; FIG. 2 is a front view of the ink ribbon cartridge; FIG. 3 is a bottom plan view of the ink ribbon cartridge; FIG. 4 is a left side view of the ink ribbon cartridge; FIG. 5 is a right side view of the ink ribbon cartridge; FIG. 6 is a rear view of the ink ribbon cartridge; FIG. 7 is a perspective view of the ink ribbon cartridge; and, FIG. 8 is a cross sectional view of the ink ribbon cartridge taken along line 8—8 of FIG. 1, wherein the internal structure of the cartridge is removed.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

