



US00D391356S

United States Patent [19]
Gustafsson

[11] **Patent Number: Des. 391,356**

[45] **Date of Patent: **Feb. 24, 1998**

[54] **ANGULARLY ADJUSTABLE AND LOCKABLE TUBING JOINT FOR AN EXTRACTOR**

1,925,533 9/1933 Havens 285/264
5,507,535 4/1996 McKamey et al. 285/272

[75] **Inventor: Johan Gustafsson, Umea, Sweden**

Primary Examiner—Lisa Lichtenstein
Attorney, Agent, or Firm—Cushman Darby & Cushman
Intellectual Property Group of Pillsbury Madison & Sutro
LLP

[73] **Assignee: Fumex Ab, Skelleftea, Sweden**

[**] **Term: 14 Years**

[57] **CLAIM**

[21] **Appl. No.: 48,156**

The ornamental design for an angularly adjustable and lockable tubing joint for an extractor, as shown.

[22] **Filed: Dec. 21, 1995**

[30] **Foreign Application Priority Data**

DESCRIPTION

Jun. 21, 1995 [SE] Sweden 95-1270

[51] **LOC (6) Cl. 23-01**

[52] **U.S. Cl. D23/387; D23/386**

[58] **Field of Search D23/259-266,
D23/386, 393; 285/151, 272, 274, 98, 275,
278**

FIG. 1 is a perspective view of an angularly adjustable and lockable tubing joint for an extractor, showing my new design from the front, top and left side, with the two body parts thereof adjusted to and locked in an exemplary first relative angular orientation; and,


FIG. 2 is a perspective view thereof from the rear, bottom and right side, with the two body parts thereof adjusted to and locked in a second relative angular orientation.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 121,718 7/1940 Irmischer D23/264

1 Claim, 2 Drawing Sheets






FIG.1




FIG.2