



US00D391493S

United States Patent [19]
Panella et al.

[11] **Patent Number:** **Des. 391,493**
[45] **Date of Patent:** ****Mar. 3, 1998**

[54] **CONTAINER**

[76] **Inventors:** **Roger C. Panella**, 118 Glover Rd.;
Scott M. Brunke, 3118 Mercer Rd.,
both of New Castle, Pa. 16105

[**] **Term:** **14 Years**

[21] **Appl. No.:** **67,104**

[22] **Filed:** **Feb. 27, 1997**

[51] **LOC (6) Cl.** **09-01**

[52] **U.S. Cl.** **D9/538; D9/571**

[58] **Field of Search** **D9/538, 551, 559,**
D9/571, 500, 503, 537-541; 215/382, 383,
384

[56] **References Cited**
U.S. PATENT DOCUMENTS

D. 69,158	12/1925	Root	D9/556
D. 197,925	4/1964	Allen	D9/571 X
D. 205,099	6/1966	Plummer	D9/571 X
D. 213,823	4/1969	Pettengill	D9/538
D. 247,847	5/1978	Kretz	D9/500
D. 367,613	3/1996	Weiler	D9/559 X
D. 369,552	5/1996	Lam	D9/551 X
1,595,040	8/1926	Voss	215/382

Primary Examiner—Lucy Lieberman
Attorney, Agent, or Firm—Kirkpatrick & Lockhart LLP

[57] **CLAIM**


The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a container showing a first embodiment of the present invention and wherein the shading indicates that the container is opaque;
FIG. 2 is a front elevation of FIG. 1, the rear and side elevations are the same;

FIG. 3 is a side elevational view of the invention illustrated in FIG. 1;
FIG. 4 is a top view of the invention illustrated in FIG. 1;
FIG. 5 is a bottom view of the invention illustrated in FIG. 1;
FIG. 6 is a perspective view of a container showing a second embodiment of the present invention and wherein the shading indicates that the container is opaque;
FIG. 7 is a front elevation of FIG. 6, the rear and side elevations are the same;
FIG. 8 is a side elevational view of the invention illustrated in FIG. 6;
FIG. 9 is a top view of the invention illustrated in FIG. 6;
FIG. 10 is a bottom view of the invention illustrated in FIG. 6;
FIG. 11 is a perspective view of a container showing a third embodiment of the present invention and wherein the shading indicates that the container is transparent;
FIG. 12 is a front elevation of FIG. 1, the rear and side elevations are the same;
FIG. 13 is a side elevational view of the invention illustrated in FIG. 11;
FIG. 14 is a top view of the invention illustrated in FIG. 11;
FIG. 15 is a bottom view of the invention illustrated in FIG. 11;
FIG. 16 is a perspective view of a container showing a fourth embodiment of the present invention and wherein the shading indicates that the container is transparent;
FIG. 17 is a front elevation of FIG. 16, the rear and side elevations are the same;
FIG. 18 is a side elevational view of the invention illustrated in FIG. 16;
FIG. 19 is a top view of the invention illustrated in FIG. 16; and
FIG. 20 is a bottom view of the invention illustrated in FIG. 16.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20