



US00D391573S

United States Patent [19]
Nakamura

[11] **Patent Number:** **Des. 391,573**
[45] **Date of Patent:** ****Mar. 3, 1998**

[54] **HEADPHONE**

[75] **Inventor:** **Mitsuhiko Nakamura, Tokyo, Japan**

[73] **Assignee:** **Sony Corporation, Tokyo, Japan**

[**] **Term:** **14 Years**

[21] **Appl. No.:** **59,291**

[22] **Filed:** **Sep. 6, 1996**

[51] **LOC (6) Cl.** **14-01**

[52] **U.S. Cl.** **D14/205**

[58] **Field of Search** D14/188, 189,
D14/192, 206, 223; 181/129, 130; 379/430,
431, 444; 381/25, 68, 158, 183, 187

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 254,183	2/1980	Doodson	D14/205
D. 255,352	6/1980	Besacie	D14/205
D. 353,818	12/1994	Nakamura	D14/205
D. 369,604	5/1996	Morimiya	D14/205

Primary Examiner—Ted Shooman

Assistant Examiner—Nanda Bondade

Attorney, Agent, or Firm—Foley & Lardner

[57] **CLAIM**

The ornamental design for a headphone, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a

headphone showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a bottom plan elevational view thereof;

FIG. 7 is a rear elevational view thereof;

FIG. 8 is a top plan view thereof wherein the covers are in the open position;

FIG. 9 is a front elevational view thereof wherein the covers are in the open position;

FIG. 10 is a perspective view of a second embodiment of a headphone showing my new design;

FIG. 11 is a top plan view of the embodiment of FIG. 10;

FIG. 12 is a front elevational view of the embodiment of FIG. 10;

FIG. 13 is a right side elevational view of the embodiment of FIG. 10;

FIG. 14 is a left side elevational view of the embodiment of FIG. 10;

FIG. 15 is a bottom plan view of the embodiment of FIG. 10;

FIG. 16 is a rear elevational view of the embodiment of FIG. 10;

FIG. 17 is a top plan view of the embodiment of FIG. 10 wherein the covers are in the open position; and,

FIG. 18 is a front elevational view of the embodiment of FIG. 10 wherein the covers are in the open position.

1 Claim, 10 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

