



US00D391595S

United States Patent [19]

Boney, Jr.

[11] Patent Number: **Des. 391,595**

[45] Date of Patent: ****Mar. 3, 1998**

[54] EYEGLASSES

[76] Inventor: **Richard L. Boney, Jr.**, 2934 Risser Ave., Orlando, Fla. 32812

[**] Term: **14 Years**

[21] Appl. No.: **63,295**

[22] Filed: **Dec. 4, 1996**

[51] LOC (6) Cl. **16-06**

[52] U.S. Cl. **D16/320; D16/329; D16/101**

[58] Field of Search **D16/300, 101, D16/301, 306-329; D29/109, 110; 351/41, 44, 51, 52, 158; 2/448**

| | | | | |
|------------|--------|--------|-------|---------|
| D. 285,801 | 9/1986 | Looney | | D16/306 |
| D. 309,148 | 7/1990 | Greufe | | D16/306 |
| 2,557,414 | 6/1951 | Coull | | 2/448 |

Primary Examiner—Raphael Barkai
Attorney, Agent, or Firm—John V. Stewart

[57] CLAIM

The ornamental design for eyeglasses, as shown and described.

DESCRIPTION

FIG. 1 front view;
FIG. 2 front perspective view; and,
FIG. 3 rear perspective view.

The characteristic feature of this design resides in the shape and orientation of the perimeters of a pair of lenses in eyeglasses, in which the highest points of the perimeters are rounded and near the sides of the eyeglasses, the bottoms are generally straight, and the lowest points are near nose piece of the eyeglasses.

1 Claim, 2 Drawing Sheets

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|--------------|-------|---------|
| D. 161,599 | 1/1951 | Siegal | | D16/328 |
| D. 220,725 | 5/1971 | McCracken | | D16/326 |
| D. 246,721 | 12/1977 | Canayan, III | | D16/326 |
| D. 257,436 | 10/1980 | Beane | | D16/326 |




FIG 1




FIG 2




FIG 3

