

US00D391877S

United States Patent [19]
Cassidy

[11] **Patent Number:** **Des. 391,877**

[45] **Date of Patent:** ****Mar. 10, 1998**

[54] **ELECTRICAL FIELD DETECTOR**
[76] **Inventor:** **John Cassidy**, 101 Burton St.,
Johnstown, N.Y. 12095
[**] **Term:** **14 Years**
[21] **Appl. No.:** **70,820**
[22] **Filed:** **May 16, 1997**
[51] **LOC (6) Cl.** **10-04**
[52] **U.S. Cl.** **D10/75**
[58] **Field of Search** **D10/75; D13/177;**
324/72, 133

5,646,535 7/1997 Dornier 324/133 X

Primary Examiner—Antoine Duval Davis

[57] **CLAIM**

The ornamental design for a electrical field detector, as shown.

DESCRIPTION

FIG. 1 is a front plan view of the electrical field detector of the present invention;
FIG. 2 is a back plan view of the electrical field detector of FIG. 1;
FIG. 3 is a left side plan view of the electrical field detector of FIG. 1;
FIG. 4 is a right side plan view of the electrical field detector of FIG. 1;
FIG. 5 is a top plan view of the electrical field detector of FIG. 1; and
FIG. 6 is a bottom plan view of the electrical field detector of FIG. 1.

[56] **References Cited**
U.S. PATENT DOCUMENTS

D. 368,270	3/1996	Jue	D10/75
3,774,110	11/1973	Roveti	324/133
4,056,772	11/1977	Graf von Berckheim	324/72
5,477,152	12/1995	Hayhurst	324/133 X
5,608,319	3/1997	Maurer et al.	324/133 X

1 Claim, 3 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

