

US00D391877S

**United States Patent** [19]  
**Cassidy**

[11] **Patent Number:** **Des. 391,877**

[45] **Date of Patent:** **\*\*Mar. 10, 1998**

[54] **ELECTRICAL FIELD DETECTOR**  
[76] **Inventor:** **John Cassidy**, 101 Burton St.,  
Johnstown, N.Y. 12095  
[\*\*] **Term:** **14 Years**  
[21] **Appl. No.:** **70,820**  
[22] **Filed:** **May 16, 1997**  
[51] **LOC (6) Cl.** ..... **10-04**  
[52] **U.S. Cl.** ..... **D10/75**  
[58] **Field of Search** ..... **D10/75; D13/177;**  
**324/72, 133**

5,646,535 7/1997 Dornier ..... 324/133 X

*Primary Examiner*—Antoine Duval Davis

[57] **CLAIM**

The ornamental design for a electrical field detector, as shown.

**DESCRIPTION**

FIG. 1 is a front plan view of the electrical field detector of the present invention;  
FIG. 2 is a back plan view of the electrical field detector of FIG. 1;  
FIG. 3 is a left side plan view of the electrical field detector of FIG. 1;  
FIG. 4 is a right side plan view of the electrical field detector of FIG. 1;  
FIG. 5 is a top plan view of the electrical field detector of FIG. 1; and  
FIG. 6 is a bottom plan view of the electrical field detector of FIG. 1.

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 368,270 3/1996 Jue ..... D10/75  
3,774,110 11/1973 Roveti ..... 324/133  
4,056,772 11/1977 Graf von Berckheim ..... 324/72  
5,477,152 12/1995 Hayhurst ..... 324/133 X  
5,608,319 3/1997 Maurer et al. .... 324/133 X

**1 Claim, 3 Drawing Sheets**





FIG. 1




FIG. 2




FIG. 3






FIG. 4



*FIG. 5*



*FIG. 6*

