



US00D391924S

United States Patent [19]

[11] Patent Number: **Des. 391,924**

Mayo et al.

[45] Date of Patent: ****Mar. 10, 1998**

[54] WIRELESS TRANSMITTER FOR SELECTABLE LIGHT LEVEL CONTROL

[75] Inventors: **Noel Mayo**, Philadelphia; **Gary W. Bryde**, Catasauqua; **Elliot G. Jacoby, Jr.**, Glenside; **Robert S. Hanna**, Macungie; **Donald E. Welling**, Whitehall; **Joel S. Spira**, Coopersburg, all of Pa.

[73] Assignee: **Lutron Electronics Co., Inc.**, Coopersburg, Pa.

[**] Term: **14 Years**

[21] Appl. No.: **51,582**

[22] Filed: **Mar. 13, 1996**

[51] LOC (6) Cl. **13-03**

[52] U.S. Cl. **D13/168**

[58] Field of Search D13/168; D14/137, D14/155, 159, 191, 192, 217, 218; D10/104, 106; D21/111, 141.1; 341/176; 340/825.69, 825.72; 348/734; 455/151.1-151.4, 352-355

[56] References Cited

U.S. PATENT DOCUMENTS

D. 302,543	8/1989	Mayo et al. .	
D. 302,544	8/1989	Spira .	
D. 303,657	9/1989	Mayo et al. .	
D. 303,658	9/1989	Spira et al. .	
D. 306,853	3/1990	Mayo et al.	D13/168
D. 310,349	9/1990	Rowen	D13/168
D. 316,847	5/1991	Rowen et al.	D13/168
D. 317,310	6/1991	Schwartz	D13/168 X
D. 317,593	6/1991	Rowen	D13/168
D. 357,920	5/1995	Davis	D14/218
D. 362,660	9/1995	Fromson	D13/168
D. 370,663	6/1996	Swain et al.	D13/168

Primary Examiner—James Gandy
Assistant Examiner—Cathron B. Matta
Attorney, Agent, or Firm—Seidel, Gonda, Lavorgna & Monaco, P.C.

[57] CLAIM

The ornamental design for a wireless transmitter for selectable light level control, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a wireless transmitter for selectable light level control showing the design according to our invention;

FIG. 2 is a front end view of the wireless transmitter as shown in FIG. 1;

FIG. 3 is a back end view of the wireless transmitter as shown in FIG. 1;

FIG. 4 is a top plan view of the wireless transmitter as shown in FIG. 1;

FIG. 5 is a bottom plan view of the wireless transmitter as shown in FIG. 1;

FIG. 6 is a left side view of the wireless transmitter as shown in FIG. 1;

FIG. 7 is a right side view of the wireless transmitter as shown in FIG. 1;

FIG. 8 is a bottom plan view of second embodiment of a wireless transmitter for selectable light level control according to our invention, the alternate embodiment having the same isometric, front end, top, left side and right side views as shown in FIGS. 1, 2, 4, 6 and 7 respectively;

FIG. 9 is a bottom plan view of a third alternate embodiment of a wireless transmitter for selectable light level control according to our invention, the alternate embodiment having the same isometric, front end, back end, top, left side and right side views as shown in FIGS. 1, 2, 3, 4, 6 and 7 respectively;

FIG. 10 is a back end view of the wireless transmitter as shown in FIG. 8;

FIG. 11 is a bottom plan view of a fourth alternate embodiment of a wireless transmitter for selectable light level control according to our invention. The alternate embodiment having the same isometric, top end and left side views as shown in FIGS. 1, 4 and 6;

FIG. 12 is a right side view of the wireless transmitter as shown in FIG. 11;

FIG. 13 is a front end view of the wireless transmitter as shown in FIG. 11;

FIG. 14 is a back end view of the wireless transmitter as shown in FIG. 11;




FIG. 15 is a bottom plan view of a fifth alternate embodiment of a wireless transmitter for selectable light level control according to our invention, the alternate embodiment having the same isometric, front end, top, left side, and right side views as shown in FIGS. 1, 13, 4, 6, and 12 respectively;

FIG. 16 is a back end view of the wireless transmitter as shown in FIG. 15 ; and,

FIG. 17 is a bottom plan view of a sixth alternate embodiment of a wireless transmitter for selectable light level control according to our invention, the alternate embodiment having the same isometric, front end, back end, top, left side, and right side as shown in FIGS. 1, 13, 14, 4, 6, and 12 respectively.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17