

US00D391940S

United States Patent [19]
Sakata

[11] **Patent Number: Des. 391,940**

[45] **Date of Patent: **Mar. 10, 1998**

[54] **IMAGE INPUTTING DEVICE**

D. 364,610 11/1995 Sanchez et al. D14/114
D. 368,901 4/1996 Currid D14/114

[75] **Inventor: Osamu Sakata, Tokyo, Japan**

Primary Examiner—Kay H. Chin

[73] **Assignee: Canon Kabushiki Kaisha, Tokyo, Japan**

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[**] **Term: 14 Years**

[57] **CLAIM**

[21] **Appl. No.: 56,198**

The ornamental design for an image inputting device, as shown and described.

[22] **Filed: Jun. 25, 1996**

DESCRIPTION

[30] **Foreign Application Priority Data**

Dec. 27, 1995 [JP] Japan 7-39368

FIG. 1 is a front elevational view of an image inputting device showing my new design;

[51] **LOC (6) Cl. 14-02**

FIG. 2 is a rear elevational view thereof;

[52] **U.S. Cl. D14/114**

FIG. 3 is a top plan view thereof;

[58] **Field of Search D14/100-114;
D21/48; D13/158; 273/148 B; 200/5 A,
5 R, 6 A, 6 R; 345/156-167; 74/471**

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof; and,

FIG. 7 is a perspective view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 350,344 9/1994 Nakada D14/114

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

