



US00D391960S

United States Patent [19]

Nishii et al.

[11] Patent Number: **Des. 391,960**

[45] Date of Patent: ****Mar. 10, 1998**

[54] **PAGER**

[75] Inventors: **Hiroki Nishii; Katsumi Nagano; Masao Tamura; Toshiro Iizuka**, all of Kanagawa, Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.**, Japan

[**] Term: **14 Years**

[21] Appl. No.: **64,674**

[22] Filed: **Jan. 8, 1997**

[30] Foreign Application Priority Data

Nov. 7, 1996 [JP] Japan 8-20921

[51] LOC (6) Cl. **14-01**

[52] U.S. Cl. **D14/191**

[58] Field of Search D14/124, 188, D14/191, 192, 299; 340/311.1; 455/92, 100, 128, 344

[56] References Cited

U.S. PATENT DOCUMENTS

D. 353,377 12/1994 Scheid et al. D14/191

D. 369,808 5/1996 Hon et al. D14/191
D. 374,441 10/1996 Castilla et al. D14/191

OTHER PUBLICATIONS

British Telecommunications Engineering, vol. 8, p. 270, Series 1200 radiopagers, Jan. 1990.

Primary Examiner—Sandra L. Morris
Assistant Examiner—Nanda Bondade
Attorney, Agent, or Firm—SAIDMAN DesignLaw Group

[57] CLAIM

The ornamental design for a pager, as shown.

DESCRIPTION

FIG. 1 is a front, bottom and right perspective view of a pager showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a left side elevational view thereof.

1 Claim, 4 Drawing Sheets



FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7

