



US00D392187S

United States Patent [19] King

[11] Patent Number: **Des. 392,187**

[45] Date of Patent: ****Mar. 17, 1998**

[54] **CONTAINER CLOSURE**

5,533,633 7/1996 King .
5,547,092 8/1996 Thompson 215/252

[75] Inventor: **Roger Milner King**, Latimer Bucks,
United Kingdom

FOREIGN PATENT DOCUMENTS

[73] Assignee: **Beeson and Sons Limited**, Herts,
United Kingdom

0 117 948 9/1984 European Pat. Off. .
704508 4/1966 Italy .
1 582 111 12/1980 United Kingdom .
2 100 236 12/1982 United Kingdom .
2134873 8/1984 United Kingdom .
2 260 534 4/1993 United Kingdom .
2 261 656 5/1993 United Kingdom .
2 267 484 12/1993 United Kingdom .
WO93/01098 1/1993 WIPO .

[**] Term: **14 Years**

[21] Appl. No.: **46,524**

[22] Filed: **Nov. 17, 1995**

[30] **Foreign Application Priority Data**

OTHER PUBLICATIONS

May 18, 1995 [GB] United Kingdom 2047564
Sep. 7, 1995 [GB] United Kingdom 2050213

U.S. application No. 08/193,610, King, filed Feb. 8, 1994.
U.S. application No. 08/380,201, King, filed Jan. 30, 1995.
U.S. application No. 08/486,041, King et al., filed Jun. 7, 1995.
U.S. application No. 08/436,338, King et al., filed May 12, 1995.
U.S. application No. 08/463,215, King, filed Jun. 5, 1995.
U.S. application No. 08/463,216, King, filed Jun. 5, 1995.
U.S. application No. 08/477,903, King, filed Jun. 7, 1995.
U.S. application No. 08/484,604, King, filed Jun. 7, 1995.
U.S. application No. 08/470,351, King, filed Jun. 6, 1995.
U.S. application No. 29/044,104, King, filed Sep. 18, 1995.
U.S. application No. 29/044,138, King, filed Sep. 18, 1995.
U.S. application No. 08/619,120, King, filed Mar. 20, 1996.

[51] **LOC (6) Cl.** **09-07**

[52] **U.S. Cl.** **D9/453**

[58] **Field of Search** D9/435, 436, 443,
D9/452, 453, 454; 215/252, 295, 328

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 138,080 6/1944 Derham D9/453
D. 284,353 6/1986 Prabs D9/454 X
D. 304,301 10/1989 Moss et al. D9/436
D. 304,424 11/1989 Dawson D9/453
D. 327,644 7/1992 Offley et al. .
D. 329,980 10/1992 Powell et al. .
D. 364,808 12/1995 King D9/443 X
3,399,796 9/1968 Steiner .
3,827,592 8/1974 Deussen .
3,993,209 11/1976 Julian .
4,157,144 6/1979 Weiler et al. .
4,399,926 8/1983 Eidels-Dubovoy .
4,489,844 12/1984 Breskin .
4,493,427 1/1985 Wolkonsky .
4,562,931 1/1986 Brach et al. .
4,731,512 3/1988 Barriac .
4,913,299 4/1990 Petro .
4,981,230 1/1991 Marshall et al. D9/453 X
5,213,225 5/1993 King et al. .
5,219,084 6/1993 King .
5,246,127 9/1993 Purcell .
5,411,157 5/1995 King et al. .
5,454,476 10/1995 King et al. .


Primary Examiner—James Gandy
Assistant Examiner—Cathron B. Matta
Attorney, Agent, or Firm—Brinks Hofer Gilson & Lione

[57] **CLAIM**

The ornamental design for a container closure, as shown.

DESCRIPTION

FIG. 1 is a front view showing a new design for a container closure;
FIG. 2 is a rear view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a left side view thereof; and,
FIG. 5 is a top view thereof.
The bottom and interior of the closure forms no part of the claimed design.



1 Claim, 2 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4

Fig. 5

