



US00D392202S

# United States Patent [19]

[11] Patent Number: **Des. 392,202**

**Nitzberg**

[45] Date of Patent: **\*\*Mar. 17, 1998**

[54] **COMBINED TRANSMITTER AND RECEIVER FOR A PORTABLE COMPUTER ALARM**

*Primary Examiner*—Marcus A. Jackson  
*Attorney, Agent, or Firm*—Knobbe, Martens, Olson & Bear, LLP

[76] Inventor: **Mark Nitzberg**, 43 Lorrie La., Lawrenceville, N.J. 08648

[57] **CLAIM**

[\*\*] Term: **14 Years**

The ornamental design for a combined transmitter and receiver for a portable computer alarm, as shown and described.

[21] Appl. No.: **71,998**

**DESCRIPTION**

[22] Filed: **Jun. 11, 1997**

**Related U.S. Application Data**

[63] Continuation-in-part of Ser. No. 61,184, Oct. 17, 1996.

[51] **LOC (6) Cl.** ..... **10-05**

[52] **U.S. Cl.** ..... **D10/106**

[58] **Field of Search** ..... D10/104, 106, D10/116, 118, 121; 340/540, 541, 545, 546, 569, 570, 571, 572, 573

FIG. 1 is a front perspective view of a combined transmitter and receiver for a portable computer alarm in accordance with a preferred embodiment of the present invention; FIG. 2 is a front elevational view of a combined transmitter and receiver for a portable computer alarm of FIG. 1; FIG. 3 is a rear elevational view of a combined transmitter and receiver for a portable computer alarm of FIG. 1; FIG. 4 is a left side elevational view of a combined transmitter and receiver for a portable computer alarm of FIG. 1; FIG. 5 is a right side elevational view of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 275,375	9/1984	Schwartz	.....	D10/106
D. 293,088	12/1987	Brown et al.	.....	D10/106
D. 311,349	10/1990	Walsh	.....	D10/106
D. 330,339	10/1992	Roselle et al.	.....	D10/106
D. 337,960	8/1993	Yuen	.....	D10/106
D. 346,982	5/1994	Greene et al.	.	
D. 352,669	11/1994	Blair	.	
D. 355,863	2/1995	Collins	.	
D. 356,517	3/1995	Sang	.	
D. 356,968	4/1995	Flick	.....	D10/106
D. 362,816	10/1995	Yuen	.....	D10/106
D. 374,190	10/1996	Yuen	.....	D10/106
4,792,796	12/1988	Bradshaw et al.	.	
4,871,997	10/1989	Adriaenssens et al.	.	
4,899,135	2/1990	Ghahariiran	.	
5,164,706	11/1992	Chen	.	

FIG. 6 is a top plan view of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

FIG. 7 is a bottom plan view of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

FIG. 8 is a front elevational view of the receiver unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

FIG. 9 is a rear elevational view of the receiver unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

FIG. 10 is a left side elevational view of the receiver unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

FIG. 11 is a right side elevational view of the receiver unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

FIG. 12 is a top plan view of the receiver unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

FIG. 13 is a bottom plan view of the receiver unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

**FOREIGN PATENT DOCUMENTS**

4431 151 A1	3/1995	Germany	.
2 132 804	7/1984	United Kingdom	.




FIG. 14 is a front elevational view of the transmitter unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

FIG. 15 is a rear elevational view of the transmitter unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1;


FIG. 16 is a left side elevational view of the transmitter unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

FIG. 17 is a right side elevational view of the transmitter unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1;

FIG. 18 is a top plan view of the transmitter unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1; and.

FIG. 19 is a bottom plan view of the transmitter unit of a combined transmitter and receiver for a portable computer alarm of FIG. 1.

**1 Claim, 7 Drawing Sheets**



*FIG. 1*




FIG. 2







FIG. 3




*FIG. 4*




*FIG. 5*




*FIG. 6*




*FIG. 7*




*FIG. 8*




*FIG. 9*




*FIG. 10*




*FIG. 11*




*FIG. 12*



*FIG. 13*




*FIG. 14*




*FIG. 15*







*FIG. 16*



*FIG. 17*



*FIG. 18*



*FIG. 19*