



US00D392262S

United States Patent [19]

Imura

[11] Patent Number: **Des. 392,262**

[45] Date of Patent: ****Mar. 17, 1998**

[54] **IMAGE INPUTTING DEVICE**

[75] Inventor: **Masayuki Imura, Kunitachi, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **53,923**

[22] Filed: **May 2, 1996**

[30] **Foreign Application Priority Data**

Nov. 8, 1995 [JP] Japan 7-33644

[51] LOC (6) Cl. **14-02**

[52] U.S. Cl. **D14/107**

[58] Field of Search D14/100, 107, D14/118; D16/202, 208, 214, 223, 232; D18/36, 37, 39; 250/556; 235/470, 472, 476, 482, 483; 358/408, 472, 474, 497

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 302,007 7/1989 Hara et al. D14/107

D. 336,078 6/1993 Khovaylo D14/107
D. 340,704 10/1993 Asakura et al. D14/107
D. 350,733 9/1994 Masajima D14/107

Primary Examiner—Freda Nunn
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for an image inputting device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an image inputting device showing my new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

