



US00D392305S

United States Patent [19]

Peschel et al.

[11] Patent Number: Des. 392,305

[45] Date of Patent: **Mar. 17, 1998

[54] EYEGLASSES

[75] Inventors: David K. Peschel, San Francisco;
Alexander Z. Nosler, Santa Clara, both
of Calif.

[73] Assignee: Nike, Inc., Beaverton, Oreg.

[**] Term: 14 Years

[21] Appl. No.: 53,989

[22] Filed: May 3, 1996

[51] LOC (6) Cl. 16-06

[52] U.S. Cl. D16/326

[58] Field of Search D16/100, 300,
D16/304, 306, 311, 315-330; 351/41, 44,
51, 52, 158; 2/447, 448

[56] References Cited

U.S. PATENT DOCUMENTS

- 78,534 6/1868 Moses .
- D. 140,506 3/1945 Joyce D16/314
- D. 197,418 1/1964 Lissac D16/315
- D. 225,390 12/1972 Hori .
- D. 280,831 10/1985 Levoy .
- D. 281,074 10/1985 Levoy D16/315
- D. 301,482 6/1989 Chodat D16/315
- D. 302,020 7/1989 Haas D16/315
- D. 322,975 1/1992 Bolle D16/314
- D. 329,442 9/1992 Jannard D16/314
- D. 334,390 3/1993 Conway D16/314
- D. 348,892 7/1994 Luzlbauer .
- D. 354,970 1/1995 Bolle .
- D. 359,749 6/1995 Yee .
- D. 367,666 3/1996 Conway D16/314
- D. 368,109 3/1996 Lei D16/326
- D. 370,021 5/1996 Simioni et al. .
- D. 370,022 5/1996 Simioni .
- 714,664 12/1902 Briggs .
- 715,533 12/1902 Anderson .
- 915,487 3/1909 Savoie .
- 2,068,519 1/1937 Speidel .
- 2,129,458 9/1938 Ashley .
- 2,196,872 4/1940 Pomeranz .
- 2,211,084 8/1940 Styll D16/316
- 2,268,903 1/1942 Shockey .

- 2,537,047 1/1951 Gatten .
- 2,597,312 5/1952 Gardissard et al. .
- 3,563,640 2/1971 Wise et al. .
- 3,614,216 10/1971 Rosenthal .
- 3,701,592 10/1972 Fernandez .
- 3,944,344 3/1976 Wichers .
- 4,152,051 5/1979 Van Tiem et al. .
- 4,196,981 4/1980 Waldrop .
- 4,240,718 12/1980 Wichers .
- 4,322,138 3/1982 Minart .
- 4,837,862 6/1989 Heil .
- 4,886,349 12/1989 Willis .
- 5,005,965 4/1991 Walters .
- 5,302,977 4/1994 Markovitz et al. .
- 5,321,444 6/1994 Lin .

FOREIGN PATENT DOCUMENTS

- 1262034 12/1960 France .

Primary Examiner—Raphael Barkai
Attorney, Agent, or Firm—Shook, Hardy & Bacon L.L.P.


[57] CLAIM

The ornamental design for eyeglasses, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the eyeglasses according to the present invention;
 FIG. 2 is a rear elevation view of the eyeglasses of FIG. 1;
 FIG. 3 is a side elevation view of one side of the eyeglasses of FIG. 1, the other side being a mirror image thereof;
 FIG. 4 is a bottom plan view of the eyeglasses of FIG. 1;
 FIG. 5 is a front elevation view of the eyeglasses of FIG. 1;
 FIG. 6 is a top plan view of the eyeglasses of FIG. 1;
 FIG. 7 is a perspective view of an alternative embodiment of the eyeglasses according to the present invention;
 FIG. 8 is a rear elevation view of the eyeglasses of FIG. 7;
 FIG. 9 is a side elevation view of one side of the eyeglasses of FIG. 7, the other side being a mirror image thereof;
 FIG. 10 is a bottom plan view of the eyeglasses of FIG. 7;
 FIG. 11 is a front elevation view of the eyeglasses of FIG. 7; and,
 FIG. 12 is a top plan view of the eyeglasses of FIG. 7.
 The broken line showing the nosepiece is for illustrative purposes and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.

Fig. 4.





Fig. 5.

Fig. 6.






Fig. 7.




Fig. 8.

Fig. 9.






Fig. 10.




Fig. 11.



Fig. 12.