



US00D392328S

United States Patent [19]
Johansson

[11] **Patent Number:** **Des. 392,328**
[45] **Date of Patent:** ****Mar. 17, 1998**

[54] **SIGN**
[75] **Inventor:** **Micael Johansson, Jönköping, Sweden**
[73] **Assignee:** **TeeMas AB, Jonkoping, Sweden**
[**] **Term:** **14 Years**

[21] **Appl. No.:** **57,962**
[22] **Filed:** **Aug. 5, 1996**
[51] **LOC (6) Cl.** **20-02**
[52] **U.S. Cl.** **D20/29; D20/41; D21/234**
[58] **Field of Search** **D20/10, 29, 41,**
D20/28; D10/114; 473/404, 46, 386; 40/606,
584, 598

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 312,292 11/1990 Retacco et al. D21/234
D. 321,235 10/1991 Weber D21/234
D. 367,907 3/1996 Sandstrom et al. D1/234

Primary Examiner—Susan J. Lucas
Assistant Examiner—Jennifer Register
Attorney, Agent, or Firm—Oppenheimer Poms Smith



[57] **CLAIM**

The ornamental design for a sign, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of the sign;
FIG. 2 is a front elevational view thereof. The rear elevational view is identical;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a left side elevational view of the second embodiment of the sign. This view shows a post that secures the sign into the ground;
FIG. 7 is a front elevational view of the second embodiment. The rear elevational view is identical;
FIG. 8 is a right side elevational view of the second embodiment;
FIG. 9 is a top view of the second embodiment; and,
FIG. 10 is a bottom view of the second embodiment.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10