



US00D392505S

United States Patent [19]

Tanaka et al.

[11] Patent Number: **Des. 392,505**

[45] Date of Patent: ****Mar. 24, 1998**

[54] **HAND MIXER**

[75] Inventors: **Yosuke Tanaka, Hyogo; Toshio Hara, Osaka; Kazuo Takada, Nara, all of Japan**

[73] Assignee: **Sanyo Electric Co., Ltd., Osaka, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **55,379**

[22] Filed: **Jun. 5, 1996**

[30] Foreign Application Priority Data

Dec. 25, 1995 [JP] Japan 7-39330

[51] LOC (6) Cl. **31-00**

[52] U.S. Cl. **D7/379**

[58] Field of Search D7/376-380, 412;
241/168, 169.1; 366/129, 130, 197, 199,
204, 205, 314

[56] References Cited

U.S. PATENT DOCUMENTS

D. 204,408 4/1966 Fischer D7/386

D. 207,859 6/1967 Weiss D7/379
D. 209,461 12/1967 Clough D7/379
D. 292,166 10/1987 McCloskey D7/379

FOREIGN PATENT DOCUMENTS

682402 3/1982 Japan .

Primary Examiner—Caron D. Veynar
Attorney, Agent, or Firm—Loeb & Loeb LLP

[57] CLAIM

The ornamental design for hand mixer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the present invention; FIG. 2 is a right elevational view thereof; FIG. 3 is a left elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a front elevational view thereof; and, FIG. 7 is a rear elevational view thereof. The broken line showing on FIG. 1 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 3




FIG. 2




FIG. 7




FIG. 6




FIG. 4




FIG. 5

