



US00D392656S

United States Patent [19]
Mizukami

[11] **Patent Number: Des. 392,656**
[45] **Date of Patent: **Mar. 24, 1998**

[54] **FLYWHEEL FOR CLUTCH, ESPECIALLY FOR AUTOMOTIVE RACING APPLICATIONS**

[75] **Inventor: Hiroshi Mizukami, Neyagawa, Japan**

[73] **Assignee: Exedy Corporation, Osaka, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 66,612**

[22] **Filed: Feb. 13, 1997**

Related U.S. Application Data

[63] **Continuation of Ser. No. 438,726, May 10, 1995, Pat. No. 5,638,932.**

[30] **Foreign Application Priority Data**

May 17, 1994 [JP] Japan 6-102499
May 17, 1994 [JP] Japan 6-102501
Jul. 11, 1994 [JP] Japan 6-158922

[51] **LOC (6) Cl. 15-99**

[52] **U.S. Cl. D15/149**

[58] **Field of Search D15/148, 149; 192/70.12, 70.14, 107 R, 113 LC, 113 BG; 188/264 D, 264 E**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 237,900 12/1975 Stroup D15/149
D. 288,694 3/1987 Dobbertin D15/148
D. 288,934 3/1987 Brown D15/148
D. 302,822 8/1989 Huber D15/148
D. 302,823 8/1989 Huber D15/148
D. 327,281 6/1992 Macomber D15/149
D. 373,368 9/1996 Matsui et al. D15/148

D. 373,369 9/1996 Matsui et al. D15/148
4,667,793 5/1987 Kunz et al. 192/70.12
4,830,160 5/1989 Marshall 192/70.12
4,846,326 7/1989 Tilton et al. 192/70.19
5,099,973 3/1992 Flotow et al. 192/70.12
5,181,594 1/1993 Nash 192/70.27
5,226,516 7/1993 Novikoff et al. 192/70.28
5,301,779 4/1994 Nash 192/70.2
5,460,255 10/1995 Quigley 192/113.36

FOREIGN PATENT DOCUMENTS

1204539 9/1970 United Kingdom .
1352989 5/1974 United Kingdom .
1506738 4/1978 United Kingdom .
2165321 4/1986 United Kingdom .

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Roynance, Abrams, Berdo & Goodman, L.L.P.

[57] **CLAIM**

The ornamental design for a flywheel for a clutch, especially for automotive racing applications, as shown and described.

DESCRIPTION


FIG. 1 is a front elevational view illustrating a flywheel for a clutch, especially for automotive racing applications in accordance with my new design; and,

FIG. 2 is a left side elevational view of the flywheel for a clutch, especially for automotive racing applications as illustrated in FIG. 1.

The rear elevational view of the flywheel does not form part of the claimed design and the side of the flywheel has a continuous design along its periphery.

The interior circumferential side of the flywheel does not form part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2