



US00D392838S

United States Patent [19]

Hatfield et al.

[11] Patent Number: **Des. 392,838**

[45] Date of Patent: ****Mar. 31, 1998**

[54] **SURFACE PATTERN FOR USE ON A SHOE UPPER**

[75] Inventors: **Tinker L. Hatfield, Portland; Mark J. Smith, Beaverton, both of Oreg.**

[73] Assignee: **Nike, Inc., Beaverton, Oreg.**

[**] Term: **14 Years**

[21] Appl. No.: **73,376**

[22] Filed: **Jul. 7, 1997**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 66,351, Feb. 11, 1997, Pat. No. Des. 387,591, and Ser. No. 66,354, Feb. 11, 1997, Pat. No. Des. 387,850.

[51] LOC (6) Cl. **02-99**

[52] U.S. Cl. **D2/946; D2/972; D2/969; D6/596**

[58] Field of Search **D2/946, 947, 951, D2/956, 954, 959, 960, 969, 972, 961; 36/114, 83, 84, 59 R, 25 R, 28, 32 R, 32 A, 59 A, 59 C; D6/334, 596, 604, 605**

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 108,622 3/1938 Johnson D6/604
- D. 225,800 1/1973 Fisher D6/334
- D. 297,588 9/1988 Gerber et al. .
- D. 299,886 2/1989 Brown et al. .
- D. 300,782 4/1989 Brown et al. .
- D. 301,387 6/1989 Diaz et al. .
- D. 322,879 1/1992 Hatfield .
- D. 334,648 4/1993 Rogers et al. .
- D. 335,389 5/1993 Hatfield et al. .
- D. 335,950 6/1993 Claveria .
- D. 336,148 6/1993 Adams .
- D. 337,875 8/1993 Peters et al. .
- D. 342,819 1/1994 Serna .

- D. 345,249 3/1994 Sell, Jr. D2/961
- D. 347,109 5/1994 Avar .
- D. 364,034 11/1995 Lee et al. D2/946 X
- D. 376,720 12/1996 Thode et al. D6/603
- D. 382,101 8/1997 Teague .
- D. 382,993 9/1997 Clegg et al. D2/972
- 4,563,785 1/1986 Samelson D6/596 X

OTHER PUBLICATIONS

- Nike Fall 1997 Footwear Catalog, pp. 146, 147, 148, and 169. Published Dec. 1996.
- Nike Late Spring 1997 Footwear Catalog, pp. 11, 77, and 158. Published Sep. 1996.
- Nike Fall 1989 Footwear Catalog, p. 58. Published 1988.

Primary Examiner—Dominic Simone

Attorney, Agent, or Firm—Banner & Witcoff, Ltd.


[57] CLAIM

A surface pattern for use on a shoe upper, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a surface pattern for use on a shoe upper showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a side elevational view of the surface pattern in an alternative location and orientation with respect to the shoe upper depicted in FIG. 1;
 FIG. 5 is a top plan view of the surface pattern positioned on the shoe upper as depicted in FIG. 4; and,
 FIG. 6 is a front elevational view of the surface pattern positioned on the shoe upper as depicted in FIG. 4.
 The broken line showing of a shoe is for illustrative purposes only and forms no part of the claimed design. The location and orientation of the surface pattern with respect to the shoe upper as shown in the Figures are shown as examples and do not limit the scope of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6