



US00D392874S

United States Patent [19]
Nakamura

[11] **Patent Number: Des. 392,874**
[45] **Date of Patent: **Mar. 31, 1998**

[54] **TERMINAL WIRE HOLDER**

[75] **Inventor: Toshinobu Nakamura, Tokyo, Japan**

[73] **Assignee: Shinagawa Shoko Co., Ltd., Tokyo, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 59,877**

[22] **Filed: Sep. 17, 1996**

[30] **Foreign Application Priority Data**

Jun. 17, 1996 [JP] Japan 17595/1996

[51] **LOC (6) Cl. 08-05**

[52] **U.S. Cl. D8/356**

[58] **Field of Search D8/395, 396, 394, D8/356; 248/68.1, 74.1-74.4; 24/16 PB**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 217,117	4/1970	Gordon	D8/356
D. 291,177	8/1987	Santucci et al.	D8/395
D. 326,407	5/1992	Minuti	D8/395
4,478,381	10/1984	Pittion et al.	248/74.1 X

Primary Examiner—Holly Baynham
Attorney, Agent, or Firm—Banner & Witcoff, Ltd.

[57] **CLAIM**

The ornamental design for terminal wire holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front view of a terminal wire holder embodying the present design in an unfastened position; FIG. 2 is a perspective rear view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a left side view thereof; FIG. 8 is a right side view thereof; FIG. 9 is a perspective front view thereof when a lever is locked; and, FIG. 10 is an environmental perspective view thereof. The broken line showing of wires and a fragmented wall is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8



FIG. 9




FIG. 10

