



US00D392968S

**United States Patent** [19]  
**Johansson**

[11] **Patent Number: Des. 392,968**  
[45] **Date of Patent: \*\*Mar. 31, 1998**

[54] **COMMUNICATOR**

[75] **Inventor: Panu Johansson, Tampere, Finland**

[73] **Assignee: Nokia Mobile Phones Limited, Espoo, Finland**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 58,827**

[22] **Filed: Aug. 23, 1996**

[30] **Foreign Application Priority Data**

Feb. 23, 1996 [FI] Finland ..... 131/96

[51] **LOC (6) Cl. .... 14-03**

[52] **U.S. Cl. .... D14/144; D14/100; D14/138**

[58] **Field of Search .... D18/2, 6, 7; D14/100, D14/101, 106, 105, 107, 137, 138, 140, 142, 147, 148, 240, 248; 379/110, 53, 419, 420, 428, 440, 433-436; 345/169, 168, 172, 173, 905; 455/90, 575, 550, 556, 557, 566**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 289,896 5/1987 Martensson et al. .... D14/53
- D. 299,719 2/1989 Martensson et al. .... D14/138
- D. 302,423 7/1989 Martensson et al. .... D14/138
- D. 320,984 10/1991 Tattari ..... D14/138
- D. 325,576 4/1992 Pitkonen ..... D14/138
- D. 325,577 4/1992 Karlin ..... D14/138
- D. 332,604 1/1993 Miyake et al. .... D8/7 X
- D. 334,736 4/1993 Sawada ..... D14/100
- D. 334,926 4/1993 Hunt et al. .... D14/138
- D. 337,764 7/1993 Paton et al. .... D14/138
- D. 339,338 9/1993 Tattari et al. .... D14/138
- D. 341,138 11/1993 Cummings ..... D14/138
- D. 345,734 4/1994 Seymour et al. .... D14/138
- D. 349,112 7/1994 Tattari ..... D14/138
- D. 350,345 9/1994 Lindeman et al. .... D14/144 X
- D. 351,583 10/1994 Ido ..... D14/100 X
- D. 352,708 11/1994 Rossi ..... D14/138
- D. 353,807 12/1994 White ..... D14/138
- D. 353,809 12/1994 Nuovo et al. .... D14/137
- D. 353,827 12/1994 Shigemura et al. .... D14/100

- D. 354,284 1/1995 White d ..... D14/138
- D. 356,561 3/1995 Berry ..... D14/138
- D. 356,562 3/1995 Nuovo ..... D14/138
- D. 356,563 3/1995 Berry ..... D14/138
- D. 356,595 3/1995 Miyahara ..... D18/7
- D. 359,283 6/1995 Rudkiewicz ..... D14/149
- D. 361,328 8/1995 White ..... D14/138
- D. 361,754 8/1995 Jambhekar et al. .... D14/100
- D. 361,762 8/1995 Berry ..... D14/138
- D. 363,069 10/1995 Bro ..... D14/138 X
- D. 364,620 11/1995 Prior et al. .... D14/147
- D. 377,341 1/1997 Imani et al. .... D14/144 X
- D. 380,468 7/1997 Tyneski et al. .... D14/137
- 5,189,632 2/1993 Paaanen et al. .... 379/110 X
- 5,526,411 6/1996 Krieter ..... 379/433 X
- 5,646,649 7/1997 Iwata et al. .... 345/169 X

**OTHER PUBLICATIONS**

Page showing Japanese Patent 3-104432, May 1, 1991.

*Primary Examiner*—Jeffrey Asch

*Attorney, Agent, or Firm*—Perman & Green, LLP

[57] **CLAIM**

The ornamental design for a “communicator”, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the bottom and inside of a communicator in an open position incorporating my new design;

FIG. 2 is a rear, bottom, left side perspective view of the communicator in FIG. 1 in a closed position thereof;

FIG. 3 is a front, bottom, right side perspective view of the communicator shown in FIG. 2 in a closed position thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a view showing the right side thereof;


FIG. 7 is a view showing the left side thereof;

FIG. 8 is a top view thereof;

FIG. 9 is a bottom view thereof; and,

FIG. 10 is a perspective view of the communicator in an open position from an opposite perspective as shown in FIG. 1 thereof.

**1 Claim, 9 Drawing Sheets**






FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10