

US00D392987S

United States Patent [19]

Sakata et al.

[11] Patent Number: **Des. 392,987**

[45] Date of Patent: *****Mar. 31, 1998**

[54] **IMAGE INPUTTING DEVICE**

5,318,257 6/1994 Tani 348/14
5,557,663 9/1996 Huang et al. 348/14

[75] Inventors: **Osamu Sakata**, Tokyo; **Masaharu Eguchi**, Yokohama, both of Japan

FOREIGN PATENT DOCUMENTS

08009227 1/1996 Japan H04N 5/232

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

OTHER PUBLICATIONS

[*] Notice: The portion of the term of this patent subsequent to Oct. 21, 2011, has been disclaimed.

Computer Telephony Expo Catalog, Mar. 10, 1995 (PCS 100 System).

Flex Cam "Odyssey" brochure.

[**] Term: **14 Years**

Primary Examiner—Philip S. Hyder

Assistant Examiner—Adir Aronovich

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[21] Appl. No.: **52,219**

[57] **CLAIM**

[22] Filed: **Mar. 26, 1996**

The ornamental design for an image inputting device, as shown and described.

[30] **Foreign Application Priority Data**

DESCRIPTION

Sep. 27, 1995 [JP] Japan 7-28878

[51] LOC (6) Cl. **16-01**

[52] U.S. Cl. **D16/202; D14/107**

[58] Field of Search D14/100, 105, D14/107, 114, 130; D16/200-205, 208; 348/14, 15-20, 373-376; 379/53; 396/29, 535, 544; H04N 5/225, 5/232

FIG. 1 is a front view of an image inputting device showing our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.

The cable shown in FIGS. 1, 2, 5, 6 and 7 is broken away to indicate the indeterminate length.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 349,714 8/1994 Hasegawa D16/203
5,012,348 4/1991 Witzel et al. 348/373

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

