



US00D392988S

United States Patent [19]

Ishikawa et al.

[11] Patent Number: **Des. 392,988**

[45] Date of Patent: ****Mar. 31, 1998**

[54] CAMERA

[75] Inventors: **Yoshifumi Ishikawa**, Yokohama;
Yasuhiro Toyoda, Omiya, both of
Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo,
Japan

[**] Term: **14 Years**

[21] Appl. No.: **57,528**

[22] Filed: **Jul. 26, 1996**

[30] Foreign Application Priority Data

Jan. 30, 1996 [JP] Japan 8-2109

[51] LOC (6) Cl. **16-01**

[52] U.S. Cl. **D16/218; D16/200**

[58] Field of Search **D16/200-205,**
D16/208, 209, 216-218; 396/155, 176,
439, 535-543, 448

[56] References Cited

U.S. PATENT DOCUMENTS

D. 323,336 1/1992 Moro et al. D16/209

D. 329,864 9/1992 Kawagoe D16/218
D. 369,372 4/1996 Ishikawa et al. D16/218
D. 374,449 10/1996 Fukushima et al. D16/200
4,557,574 12/1985 Kohno et al. 396/448

Primary Examiner—Ted Shooman
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper &
Scinto

[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a camera showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 3 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

