



US00D393148S

# United States Patent [19]

[11] Patent Number: Des. 393,148

Petruzzi

[45] Date of Patent: \*\*\*Apr. 7, 1998

[54] **KEY CHAIN BOX**

[76] Inventor: **Thomas G. Petruzzi**, 5118 Belleville Ave., Orlando, Fla. 32812

[\*] Notice: The portion of the term of this patent subsequent to Aug. 26, 2011, has been disclaimed.

[\*\*] Term: **14 Years**

[21] Appl. No.: **54,408**

[22] Filed: **May 14, 1996**

[51] LOC (6) CL ..... **03-01**

[52] U.S. Cl. .... **D3/208**

[58] Field of Search ..... D3/201, 207-212; D8/347; 70/456 B, 458 R

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 44,524	8/1913	Feeley .....	D11/80
D. 127,468	5/1941	Steiner .....	D11/43
D. 203,737	2/1966	Friedman .....	D3/207
D. 351,049	9/1994	Schlueter .....	D3/208
D. 358,251	5/1995	Bettis .....	D3/208
D. 369,902	5/1996	Petruzzi .	
D. 370,558	6/1996	McGinnis .....	D3/208
1,910,476	5/1933	Rulong .....	40/642
2,511,651	6/1950	Schlitz .....	D3/208
2,733,830	2/1956	Ruskin .	
2,746,081	5/1956	Gershen .	
3,077,282	2/1963	Eggers .	
3,111,152	11/1963	Goessling .....	D3/207
3,285,464	11/1966	Boydman .	
3,315,796	4/1967	Dreyfuss .	
3,381,844	5/1968	Sieve .	
3,405,836	10/1968	Regis .	
3,624,939	12/1971	Gossard .....	40/271
4,109,821	8/1978	Lutz .	
4,302,866	12/1981	Irvin .	
4,401,312	8/1983	Parker .	
4,431,114	2/1984	Kleinfeld .	
5,096,084	3/1992	Wells .	

*Primary Examiner*—Ralf Seifert

*Attorney, Agent, or Firm*—Allen, Dyer, Doppelt, Milbrath & Gilchrist, P.A.


[57] **CLAIM**

The ornamental design for a key chain box, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, left perspective view of a key chain box showing my new design;  
 FIG. 2 is a top plan view thereof;  
 FIG. 3 is a bottom plan view thereof;  
 FIG. 4 is a front elevational view thereof;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a left side elevational view thereof;  
 FIG. 7 is a right side elevational view thereof;  
 FIG. 8 is a top, left perspective view of a second embodiment of FIG. 1, the only difference being acceptance of alternate key chain tab configurations;  
 FIG. 9 is a top plan view of FIG. 8;  
 FIG. 10 is a bottom plan view of FIG. 8;  
 FIG. 11 is a front elevational view of FIG. 8;  
 FIG. 12 is a rear elevational view of FIG. 8;  
 FIG. 13 is a left side elevational view of FIG. 8;  
 FIG. 14 is a right side elevational of FIG. 8;  
 FIG. 15 is a top, left perspective view of a third embodiment of FIG. 1, the only differences being an integral hinge and acceptance of alternate key chain tab configurations;  
 FIG. 16 is a top plan view of FIG. 15;  
 FIG. 17 is a bottom plan view of FIG. 15;  
 FIG. 18 is a front elevational view of FIG. 15;  
 FIG. 19 is a rear elevational view of FIG. 15;  
 FIG. 20 is a left side elevational view of FIG. 15; and,  
 FIG. 21 is a right side elevational view of FIG. 15.  
 The broken line showing of a chain in FIGS. 1, 8 and 15 is for illustrative purposes only and forms no part of the claimed design. Further, the broken line shown the chain tab of FIGS. 8-12 and 15-18 is for illustrative purposes and forms no part of the claimed design for the alternate embodiment.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 11




FIG. 10




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 18




FIG. 17




FIG. 19




FIG. 20




FIG. 21