US00D393194S

United States Patent [19]

Hogue et al.

[11] **Patent Number: Des. 393,194**

[45] **Date of Patent: **Apr. 7, 1998**

[54] **RESILIENT GRIP SLEEVE FOR AN AIR TOOL**

[75] Inventors: **Aaron G. Hogue**; **Patrick L. Hogue**, both of Paso Robles, Calif.

[73] Assignee: **Hogue Grips**, Atascadero, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **67,707**

[22] Filed: **Mar. 7, 1997**

Related U.S. Application Data

[62] Division of Ser. No. 48,378, Dec. 27, 1995, Pat. No. Des. 382,458.

[51] **LOC (6) Cl.** **08-05**

[52] **U.S. Cl.** **D8/70**; D8/303

[58] **Field of Search** D8/61, 68, 70, D8/80, 105, 107, 303, 312, 313, 314; D22/104, 108; 81/177.1, 177.4, 489; 42/71.02, 74

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 325,953	5/1992	Vechiarelli	D22/104
D. 330,837	11/1992	Harmon	D8/80
D. 349,938	8/1994	Hogue et al.	D22/108
D. 351,448	10/1994	Fisher	D22/108
D. 351,638	10/1994	Scott et al.	D22/108
D. 354,110	1/1995	Scott et al.	D22/108
4,785,495	11/1988	Dellis	81/489

Primary Examiner—James Gandy
Assistant Examiner—Robert M. Spear
Attorney, Agent, or Firm—Daniel C. McKown

[57] **CLAIM**

The ornamental design for a resilient grip sleeve for an air tool, as shown and described.

DESCRIPTION

FIG. **1** is a front right top perspective view of a resilient grip sleeve for an air tool showing a first preferred embodiment of our new design;

FIG. **2** is a front bottom perspective view thereof;

FIG. **3** is a front left top perspective view thereof;

FIG. **4** is a rear bottom perspective view thereof;

FIG. **5** is a right side elevational view at a reduced scale. The broken line showing of an air tool in FIG. **5** is for illustrative purposes only and forms no part of the claimed design;

FIG. **6** is a front right top perspective view of a resilient grip sleeve for an air tool showing a second preferred embodiment of our new design;

FIG. **7** is a front bottom perspective view thereof;

FIG. **8** is a front left top perspective view thereof;

FIG. **9** is a rear bottom perspective view thereof; and,

FIG. **10** is a right side elevational view at a reduced scale. The broken line showing of an air tool in FIG. **10** is for illustrative purposes only and forms no part of the claimed design;

FIG. **11** is a front right top perspective view of a resilient grip sleeve for an air tool showing a third preferred embodiment of our new design;

FIG. **12** is a front bottom perspective view thereof;

FIG. **13** is a front left top perspective view thereof;

FIG. **14** is a rear bottom perspective view thereof;

FIG. **15** is a right side elevational view at a reduced scale. The broken line showing of an air tool in FIG. **15** is for illustrative purposes only and forms no part of the claimed design;

FIG. **16** is a front right top perspective view of a resilient grip sleeve for an air tool showing a fourth preferred embodiment of our new design;

FIG. **17** is a front bottom perspective view thereof;

FIG. **18** is a front left top perspective view thereof;

FIG. **19** is a rear bottom perspective view thereof; and,

FIG. **20** is a right side elevational view at a reduced scale. The broken line showing of an air tool in FIG. **10** is for illustrative puroses only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets





Fig. 4



Fig. 3



Fig. 2



Fig. 5

Fig. 1



Fig. 9



Fig. 8



Fig. 7



Fig. 10

Fig. 6



Fig. 14



Fig. 13



Fig. 12

Fig. 15

Fig. 11



Fig. 19



Fig. 18



Fig. 17



Fig. 20



Fig. 16