



US00D393194S

# United States Patent [19]

[11] Patent Number: **Des. 393,194**

Hogue et al.

[45] Date of Patent: **\*\*Apr. 7, 1998**

[54] **RESILIENT GRIP SLEEVE FOR AN AIR TOOL**

[75] Inventors: **Aaron G. Hogue; Patrick L. Hogue,**  
both of Paso Robles, Calif.

[73] Assignee: **Hogue Grips, Atascadero, Calif.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **67,707**

[22] Filed: **Mar. 7, 1997**

### Related U.S. Application Data

[62] Division of Ser. No. 48,378, Dec. 27, 1995, Pat. No. Des. 382,458.

[51] LOC (6) CL ..... **08-05**

[52] U.S. Cl. .... **D8/70; D8/303**

[58] Field of Search ..... **D8/61, 68, 70, D8/80, 105, 107, 303, 312, 313, 314; D22/104, 108; 81/177.1, 177.4, 489; 42/71.02, 74**

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 325,953	5/1992	Vechiarelli .....	D22/104
D. 330,837	11/1992	Harmon .....	D8/80
D. 349,938	8/1994	Hogue et al. ....	D22/108
D. 351,448	10/1994	Fisher .....	D22/108
D. 351,638	10/1994	Scott et al. ....	D22/108
D. 354,110	1/1995	Scott et al. ....	D22/108
4,785,495	11/1988	Dellis .....	81/489

*Primary Examiner*—James Gandy  
*Assistant Examiner*—Robert M. Spear  
*Attorney, Agent, or Firm*—Daniel C. McKown

### [57] CLAIM

The ornamental design for a resilient grip sleeve for an air tool, as shown and described.

### DESCRIPTION

FIG. 1 is a front right top perspective view of a resilient grip

sleeve for an air tool showing a first preferred embodiment of our new design;

FIG. 2 is a front bottom perspective view thereof;

FIG. 3 is a front left top perspective view thereof;

FIG. 4 is a rear bottom perspective view thereof;

FIG. 5 is a right side elevational view at a reduced scale. The broken line showing of an air tool in FIG. 5 is for illustrative purposes only and forms no part of the claimed design;

FIG. 6 is a front right top perspective view of a resilient grip sleeve for an air tool showing a second preferred embodiment of our new design;

FIG. 7 is a front bottom perspective view thereof;

FIG. 8 is a front left top perspective view thereof;

FIG. 9 is a rear bottom perspective view thereof; and,

FIG. 10 is a right side elevational view at a reduced scale. The broken line showing of an air tool in FIG. 10 is for illustrative purposes only and forms no part of the claimed design;

FIG. 11 is a front right top perspective view of a resilient grip sleeve for an air tool showing a third preferred embodiment of our new design;

FIG. 12 is a front bottom perspective view thereof;

FIG. 13 is a front left top perspective view thereof;

FIG. 14 is a rear bottom perspective view thereof;

FIG. 15 is a right side elevational view at a reduced scale. The broken line showing of an air tool in FIG. 15 is for illustrative purposes only and forms no part of the claimed design;

FIG. 16 is a front right top perspective view of a resilient grip sleeve for an air tool showing a fourth preferred embodiment of our new design;


FIG. 17 is a front bottom perspective view thereof;

FIG. 18 is a front left top perspective view thereof;

FIG. 19 is a rear bottom perspective view thereof; and,

FIG. 20 is a right side elevational view at a reduced scale. The broken line showing of an air tool in FIG. 10 is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






Fig. 4




Fig. 3




Fig. 2




Fig. 5




Fig. 1




Fig. 9




Fig. 8




Fig. 10




Fig. 7




Fig. 6




Fig. 14




Fig. 13




Fig. 15




Fig. 12




Fig. 11




Fig. 19




Fig. 18




Fig. 20




Fig. 17




Fig. 16