

US00D393213S

**United States Patent** [19]  
**Kanner**

[11] **Patent Number:** **Des. 393,213**  
[45] **Date of Patent:** **\*\*Apr. 7, 1998**

[54] **LASER CALIBRATION CARD**

[75] **Inventor:** **Rowland W. Kanner**, Guntersville, Ala.

[73] **Assignee:** **Atrion Medical Products, Inc.**, Arab, Ala.

[\*\*] **Term:** **14 Years**

[21] **Appl. No.:** **64,551**

[22] **Filed:** **Jan. 6, 1997**

[51] **LOC (6) Cl.** ..... **10-04**

[52] **U.S. Cl.** ..... **D10/46; D10/81; D10/96**

[58] **Field of Search** ..... **D10/46, 81, 96;**  
**219/121.6, 121.69; 250/390.03, 475.2, 484.3,**  
**486.1; 329/115; 356/121, 213, 414-425;**  
**430/964; 434/271**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 331,203	11/1992	Collister	.....	D10/81
5,157,455	10/1992	Macri et al.	.....	356/416 X
5,545,897	8/1996	Jack	.....	356/419 X

*Primary Examiner*—Antoine Duval Davis  
*Attorney, Agent, or Firm*—Trexler, Bushnell, Giangiorgi & Blackstone, Ltd.

[57] **CLAIM**

The ornamental design for a laser calibration card, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a laser calibration card showing my new design in a closed position;

FIG. 2 is a top plan view of the laser calibration card in the closed position;

FIG. 3 is a bottom plan view of the laser calibration card in the closed position;

FIG. 4 is a top-side elevational view of the laser calibration card in the closed position;

FIG. 5 is a bottom-side elevational view of the laser calibration card in the closed position;

FIG. 6 is a right-side elevational view of the laser calibration card in the closed position;

FIG. 7 is a perspective view of the laser calibration card showing my new design in an open position;

FIG. 8 is a top plan view of the laser calibration card in the open position;

FIG. 9 is a bottom plan view of the laser calibration card in the open position;

FIG. 10 is a top-side elevational view of the laser calibration card in the open position;


FIG. 11 is a bottom-side elevational view of the laser calibration card in the open position; and,

FIG. 12 is a right-side elevational view of the laser calibration card in the open position.

While FIG. 6 illustrates a right-side elevational view of the laser calibration card shown in FIG. 2 in the closed position, the left-side elevational view of the laser calibration card shown in FIG. 2 in the closed position is the same.

While FIG. 12 illustrates a right-side elevational view of the laser calibration card shown in FIG. 7 in the open position, the left-side elevational view of the laser calibration card shown in FIG. 7 in the open position is the same.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 7




FIG. 2




FIG. 3




FIG. 4



FIG. 6



FIG. 5




FIG. 8




FIG. 9



FIG. 10



FIG. 11




FIG. 12