



US00D393236S

United States Patent [19]
Rowe

[11] **Patent Number:** **Des. 393,236**
[45] **Date of Patent:** ****Apr. 7, 1998**

[54] **TIRE TREAD**

[75] **Inventor:** **Charles Chesley Rowe**, Clemson, S.C.

[73] **Assignee:** **Michelin Recherche ET Technique**
S.A., Switzerland

[**] **Term:** **14 Years**

[21] **Appl. No.:** **70,197**

[22] **Filed:** **May 2, 1997**

[51] **LOC (6) Cl.** **12-15**

[52] **U.S. Cl.** **D12/147; D12/140**

[58] **Field of Search** **D12/136, 138,**
D12/140-152; 152/290 A, 290 B, 290 D,
290 R

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 112,993	1/1939	Hardeman		D12/136
D. 157,953	4/1950	Hawkinson		152/209 D X
D. 287,352	12/1986	Cain		D12/151
D. 303,364	9/1989	Graas et al.		D12/147
D. 306,276	2/1990	Graas		D12/147
D. 350,093	8/1994	Fukushima		D12/147
D. 362,217	9/1995	McKisson		D12/147
D. 371,097	6/1996	Fukushima		D12/147
4,649,976	3/1987	Cherveny et al.		152/209 R

OTHER PUBLICATIONS

El Dorado Bronco P-Metric Trac. Tire, 1995 Tread Design Guide, p. 25, Jan. 1995.

Dunlop Radial Mud Rover Tire, 1995 Tread Design, p. 88, Jan. 1995.

Dunlop SP931 Tire, 1995 Tread Design Guide, p. 132, Jan. 1995.

Co-Op Country Squire X/T Tire, 1996 Tread Design Guide, p. 85, Feb. 1996.

Kelly-Springfield Armorsteel KRMI Tire, 1996 Tread Design Guide, p. 145, Feb. 1996.

Armstrong/Titan Rear Wheel Torc-Trac Tire, 1996 Tread Design Guide, p. 185, Feb. 1996.

Tread Design Guide 1990, p. Starfire Starfire VR50.

Tread Design Guide 1990, p. 192 Bridgestone V-Steel K-Traction.

Tread Design Guide 1995, p. 99 Kelly-Springfield Safari AWR.

Tread Design Guide 1995, p. 175 Goodyear AT-2A Radial.

Tread Design Guide 1996, p. 142 Hankook Z35A.

Tread Design Guide 1996, p. 142 Hankook Z59.

Tread Design Guide 1996, p. 117 Star Trail Buster Radial DT.

Primary Examiner—James Gandy

Assistant Examiner—Robert M. Spear

Attorney, Agent, or Firm—Alan A. Csontos; Robert R. Reed

[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of the tire tread showing my new tire tread design, it being understood that the tread pattern is repeated over the outer circumference and shoulder of the tire, the opposite side being the same as that illustrated;

FIG. 2 is an enlarged fragmentary front elevation view of the tread pattern of FIG. 1 further showing my new design; and, FIG. 3 is an enlarged fragmentary front elevation view of an alternate embodiment of the tread pattern of my new design, it being understood that the tread pattern is repeated over the outer circumference and shoulder of the tire and that the tire tread has an overall appearance substantially the same as that shown in FIGS. 1-2.

The broken line disclosure of a tire sidewall and inner bead is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3