



US00D393502S

United States Patent [19] Peachey

[11] Patent Number: **Des. 393,502**

[45] Date of Patent: ****Apr. 14, 1998**

[54] **LEG PROTECTOR**

3,153,864 10/1964 Brewer D29/120
5,613,250 3/1997 Bell D29/120

[76] Inventor: **Merle D. Peachey**, 945 N. State St.,
Ephrata, Pa. 17522

Primary Examiner—Ruth McInroy

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **55,855**

The ornamental design for a leg protector, as shown and described.

[22] Filed: **Jun. 14, 1996**

DESCRIPTION

[51] LOC (6) Cl. **29-02**

FIG. 1 is a front view of a leg protector showing my new design;

[52] U.S. Cl. **D29/120**

FIG. 2 is a rear view of the leg protector of FIG. 1;

[58] Field of Search D29/120, 122;

FIG. 3 is a right side view of the leg protector of FIG. 1;

2/911, 22, 2; 602/62

FIG. 4 is a left side view of the leg protector of FIG. 1;

FIG. 5 is a top view of the leg protector of FIG. 1; and,

FIG. 6 is a bottom view of the leg protector of FIG. 1.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 251,696	5/1979	Gwon	D29/120
D. 278,567	4/1985	Rasmussen	D29/120
D. 287,470	12/1986	Eghann	D29/120
D. 365,667	12/1995	Hargrove et al.	D29/120
696,764	4/1902	Shibe	D29/120

The crosshatch surface shading on the straps is understood to repeat throughout the indicated area and the broken lines represent conventional stitching in FIGS. 1 and 2.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

