



US00D393544S

# United States Patent [19] Ling

[11] Patent Number: **Des. 393,544**

[45] Date of Patent: **\*\*Apr. 21, 1998**

[54] ENCODED WIRE LOCK

D. 369,088 4/1996 Brendel ..... D8/333  
4,068,504 1/1978 Picjard ..... 70/14

[76] Inventor: **Chong-Kuan Ling**, C/O Percy  
International Patent Corp. P.O. Box  
1-79, Taipei, Taiwan

*Primary Examiner*—Brian N. Vinson

[\*\*] Term: **14 Years**

[57] **CLAIM**

The ornamental design for an encoded wire lock, as shown.

[21] Appl. No.: **73,604**

### DESCRIPTION

[22] Filed: **Jul. 11, 1997**

FIG. 1 is a perspective view of the encoded wire lock of this invention;

[51] LOC (6) Cl. .... **08-07**

FIG. 2 is a front view thereof;

[52] U.S. Cl. .... **D8/333**

FIG. 3 is a rear view thereof;

[58] Field of Search ..... D8/330, 331, 333;

FIG. 4 is a left side view thereof;

70/14, 18, 20, 22-23, 30, 49, 57-58, 174

FIG. 5 is a right side view thereof;

[56] **References Cited**

FIG. 6 is a top view thereof;

#### U.S. PATENT DOCUMENTS

FIG. 7 is a bottom view thereof; and,


D. 223,228 4/1972 Padleckas ..... D8/333

FIG. 8 is a front view of the encoded wire lock in open position.

D. 332,387 1/1993 Ling ..... D8/333

D. 339,054 9/1993 Saito ..... D8/333

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG.3



FIG. 4



FIG. 5




FIG. 6



FIG. 7




FIG. 8