



US00D393544S

United States Patent [19]
Ling

[11] **Patent Number: Des. 393,544**
[45] **Date of Patent: **Apr. 21, 1998**

[54] **ENCODED WIRE LOCK**

D. 369,088 4/1996 Brendel D8/333
4,068,504 1/1978 Picjard 70/14

[76] **Inventor: Chong-Kuan Ling, C/O Percy International Patent Corp. P.O. Box 1-79, Taipei, Taiwan**

Primary Examiner—Brian N. Vinson

[**] **Term: 14 Years**

[57] **CLAIM**

The ornamental design for an encoded wire lock, as shown.

[21] **Appl. No.: 73,604**

DESCRIPTION

[22] **Filed: Jul. 11, 1997**

FIG. 1 is a perspective view of the encoded wire lock of this invention;

[51] **LOC (6) Cl. 08-07**

FIG. 2 is a front view thereof;

[52] **U.S. Cl. D8/333**

FIG. 3 is a rear view thereof;

[58] **Field of Search D8/330, 331, 333; 70/14, 18, 20, 22-23, 30, 49, 57-58, 174**

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,


FIG. 8 is a front view of the encoded wire lock in open position.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 223,228 4/1972 Padleckas D8/333
D. 332,387 1/1993 Ling D8/333
D. 339,054 9/1993 Saito D8/333

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG.3



FIG. 4



FIG. 5




FIG. 6



FIG. 7




FIG. 8