



US00D393714S

**United States Patent** [19]  
**Tucker**

[11] **Patent Number: Des. 393,714**  
[45] **Date of Patent: \*\*Apr. 21, 1998**

[54] **COMBINED I.V. POLE TUBING ANCHOR/  
NEEDLE RE-SHEATHER FOR WINGED  
NEEDLES**

5,356,385 10/1994 Latini ..... D24/130 X

*Primary Examiner*—Doris Clark

[76] **Inventor: Annabelle D. Tucker, 4480 Sherman  
Oaks Cir., Sherman Oaks, Calif. 91403**

[57] **CLAIM**

[\*\*] **Term: 14 Years**

The ornamental design for a combined I.V. pole tubing anchor/needle re-sheather for winged needles, as shown and described.

[21] **Appl. No.: 36,917**

**DESCRIPTION**

[22] **Filed: Mar. 30, 1995**

**Related U.S. Application Data**

FIG. 1 (for illustration purposes only) shows the combined I.V. pole tubing anchor/needle re-sheather for winged needles with the split top cap for wing needles poised to seat into an appropriate channel in the base of the I.V. pole anchor to form the needle re-sheather that completes my new design, thereof;

[63] Continuation-in-part of Ser. No. 34,725, Feb. 10, 1995, which is a continuation-in-part of Ser. No. 2,706, Dec. 17, 1992, which is a continuation-in-part of Ser. No. 695,535, May 3, 1991, Pat. No. 5,171,224, which is a continuation-in-part of Ser. No. 556,205, Jul. 23, 1990, abandoned, which is a continuation-in-part of Ser. No. 556,204, Jul. 23, 1990, abandoned.

FIG. 2 shows a perspective view of my new design, combined and locked as on the I.V. pole ready for use, thereof; FIG. 3 is an exploded perspective top view of my new design, thereof;

[51] **LOC (6) Cl. .... 24-01**

[52] **U.S. Cl. .... D24/130**

[58] **Field of Search .... D24/130, 128;  
604/199, 263, 192, 198, 110**

FIG. 4 is an open, perspective top view of my new design, thereof;

FIG. 5 is an exploded bottom elevational view of my new design, thereof;

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 324,569 3/1992 Seibert et al. .... D24/130
- D. 345,017 3/1994 Fischer et al. .... D24/128 X
- 4,654,026 3/1987 Underwood ..... 604/192 X
- 4,836,373 6/1989 Goldman ..... 604/203 X
- 4,966,582 10/1990 Sit et al. .... D24/130 X
- 4,979,945 12/1990 Wade et al. .... D24/130 X
- 5,171,224 12/1992 Tucker ..... 604/110
- 5,330,439 7/1994 Jackson ..... D24/130 X


FIG. 6 is a right elevational view of my new design, thereof; FIG. 7 is a left side elevational view of my new design, thereof;

FIG. 8 is a front elevational view of my new design, thereof; and,

FIG. 9 is a back elevational view of my new design, thereof.

The broken line showings of a pole, I.V. line and a winged I.V. needle are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 5




FIG. 4




FIG. 3




FIG. 6




FIG. 7




FIG. 8




FIG. 9