

US00D393805S

United States Patent [19]

Steinhagen et al.

[11] Patent Number: Des. 393,805

[45] Date of Patent: **Apr. 28, 1998

[54] CLOCK/THERMOMETER COMBO

[75] Inventors: **Thomas R. Steinhagen**, West Des Moines; **Charles A. Haas**, Des Moines; **John S. Schenken**, West Des Moines, all of Iowa

[73] Assignee: **Cobbs Manufacturing Company**, Des Moines, Iowa

[**] Term: **14 Years**

[21] Appl. No.: **63,749**

[22] Filed: **Dec. 9, 1996**

Related U.S. Application Data

[62] Division of Ser. No. 57,618, Jul. 29, 1996.

[51] LOC (6) Cl. **10-01**

[52] U.S. Cl. **D10/4; D10/57; D10/53; D10/68**

[58] Field of Search **D10/2, 4; 368/10-11; 374/141, 142, 205-206, 208**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 160,077	9/1950	Eaves	D10/4
D. 255,431	6/1980	Marmorale	D10/2
D. 288,536	3/1987	Tanaka	D10/53
D. 297,217	8/1988	Wolff	D10/53
D. 303,934	10/1989	Iacovelli	D10/68 X
D. 309,582	7/1990	Suzuki	D10/53

Primary Examiner—Nelson C. Holtje

[57] CLAIM

The ornamental design for a clock/thermometer combo, as shown.

DESCRIPTION

FIG. 1 is a front elevational view;
FIG. 2 is a top view;
FIG. 3 is a left end view;
FIG. 4 is a right end view, showing the support stand in a partial open position;
FIG. 5 is a rear elevational view; and
FIG. 6 is a front perspective view.

1 Claim, 2 Drawing Sheets




Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6

