



US00D393931S

**United States Patent** [19]  
**Rue**

[11] **Patent Number: Des. 393,931**

[45] **Date of Patent: \*\*Apr. 28, 1998**

[54] **TOE SPACER DEVICE**

[76] **Inventor: Marilyn Christine Rue, 6121 Abrams Rd., Apt. #1112, Dallas, Tex. 75231**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 69,970**

[22] **Filed: Apr. 21, 1997**

[51] **LOC (6) Cl. .... 28-03**

[52] **U.S. Cl. .... D28/57; D28/61**

[58] **Field of Search .... D28/56, 57, 59, D28/61; 132/73, 73.5, 75.3, 75.6, 76.4**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 135,041	2/1943	White	.....	D28/61
D. 155,239	9/1949	Smith	.....	D28/61
D. 159,265	7/1950	Jones	.....	132/73.5 X
1,163,490	12/1915	Weil	.....	132/73 X
2,396,154	3/1946	Campbell	.....	D28/56 X
2,662,534	12/1953	Swartz	.....	D28/61 X

**OTHER PUBLICATIONS**

Hong Kong Enterprise Oct. 1989, p. 517 — item No. TS-001.

*Primary Examiner*—Ted Shooman

*Assistant Examiner*—C. Tuttle

*Attorney, Agent, or Firm*—James A. Wong


[57] **CLAIM**

The ornamental design for a toe spacer device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a toe spacer device; FIG. 2 is a rear elevational view thereof; FIG. 3 is a side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; and, FIG. 6 is a perspective view thereof.

**1 Claim, 2 Drawing Sheets**






FIG. 1





FIG. 2

FIG. 3






FIG. 4




FIG. 5




FIG. 6