

#### US00D394306S

## United States Patent [19]

#### Clivio

[56]

### [11] Patent Number: Des. 394,306 [45] Date of Patent: \*\*May 12, 1998

[54]	HOSE CC	OUPLING WITH WATER STOP
[75]	Inventor:	Franco Clivio, Erlenbach, Switzerland
[73]	Assignee:	Gardena Kress & Kastner GmbH. Ulm, Germany
[**]	Term:	14 Years
[21]	Appl. No.:	50,229
[22]	Filed:	Feb. 12, 1996
[30]	Forei	gn Application Priority Data
Aug.	10, 1995	DE] Germany M 95 06 385.4
[51]	LOC (6) (	Cl
	` '	D23/262
-	Field of S	earch
<b>,</b> ,		D23/264, 266; 137/614.04; 251/149, 343;
		285/242, 243; 138/109

#### U.S. PATENT DOCUMENTS

References Cited

D. 213,192	1/1969	Hastings	D23/247
		Raffler et al.	
D. 240,227	6/1976	Flynn	D23/247
-		Roman	
1,899,119	2/1933	Singer 23	85/242 X
2,799,348	7/1957	Page 2:	51/343 X

#### FOREIGN PATENT DOCUMENTS

271170	12/1986	Japan	251/304
		U.S.S.R	

#### OTHER PUBLICATIONS

Sprinklemist 1941 Cat., p. 6: Rubber-Covered Hose Nozzle No. H-227.

The Gardena Catalog of 1995, Sep. 1994, p. 52.

Primary Examiner—Ted Shooman Assistant Examiner—C. Tuttle Attorney, Agent, or Firm—Quarles & Brady

[57] CLAIM

The ornamental design for a hose coupling with water stop, as shown and described.

#### **DESCRIPTION**

FIG. 1 is a front perspective view of a hose coupling with water stop showing my new design;

FIG. 2 is a side elevation thereof;


FIG. 3 is a side elevation thereof rotated 90 from FIG. 2;


FIG. 4 is a bottom plan of FIG. 2; and.

FIG. 5 is a top plan of FIG. 2.


The broken lines showing the inside structures of the coupling are for illustrative purposes only and form no part of the claimed design.

#### 1 Claim, 1 Drawing Sheet







F/G. /




F/G. 2



F/G. 3



F/G. 4



F/G. 5

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : DES. 394,306

DATED : May 12, 1998

INVENTOR(S): Clivio

It is certified that error appears in the above-indentified patent and that said Letters Patent is hereby corrected as shown below:

In FIG. 3 of the Description, insert --inverted and-- before "rotated".

Signed and Sealed this
Twenty-second Day of September, 1998

Attest:

Attesting Officer

**BRUCE LEHMAN** 

Commissioner of Patents and Trademarks

.