



US00D394409S

United States Patent [19]

[11] Patent Number: **Des. 394,409**

Ferguson

[45] Date of Patent: ****May 19, 1998**

[54] LOCATOR INDICATOR FOR LOST INDIVIDUALS

[76] Inventor: **Elwin R. Ferguson**, 14-19427 92nd Avenue, Surrey BC, Canada, V4N 4G6

[**] Term: **14 Years**

[21] Appl. No.: **61,549**

[22] Filed: **Oct. 25, 1996**

[51] LOC (6) Cl. **10-05**

[52] U.S. Cl. **D10/109**

[58] Field of Search D10/104, 109, D10/111, 121; 116/DIG. 8, DIG. 9, 210; 441/30, 40, 41

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|--------|-------------|-------|---------|
| D. 334,148 | 3/1993 | McAllister | | D10/109 |
| D. 335,468 | 5/1993 | Cumming | | D10/109 |
| D. 367,826 | 3/1996 | Ball et al. | | D10/109 |
| 3,945,338 | 3/1976 | Correa | | D10/109 |

Primary Examiner—Marcus A. Jackson

[57] CLAIM

The ornamental design for a locator indicator for lost individuals, as shown and described.

DESCRIPTION

FIG. 1 is a front plan view of the locator indicator for lost individuals of the present invention with the broken line showing for illustrative purposes only and forming no part of the claimed design, and with the cord broken away in the center to indicate indeterminate length;

FIG. 2 is a rear plan view of the locator indicator for lost individuals of FIG. 1;

FIG. 3 is a left side plan view of the locator indicator for lost individuals of FIG. 1;

FIG. 4 is a right side plan view of the locator for lost individual of FIG. 1 ;

FIG. 5 is a top plan view of the locator indicator of FIG. 1; and,

FIG. 6 is a bottom plan view of the locator indicator for lost individuals of FIG. 1.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

