



US00D394412S

United States Patent [19]
Hanson

[11] **Patent Number:** **Des. 394,412**
[45] **Date of Patent:** ****May 19, 1998**

[54] **PIECE OF BODY PIERCING JEWELRY**

[76] **Inventor:** **Carl Ralph Hanson**, 2505 NE. 15th Ave., Portland, Oreg. 97212

[**] **Term:** **14 Years**

[21] **Appl. No.:** **73,748**

[22] **Filed:** **Jul. 16, 1997**

[51] **LOC (6) Cl.** **11-01**

[52] **U.S. Cl.** **D11/40; D11/75**

[58] **Field of Search** D11/7, 40-41, D11/43, 45, 48-50, 53-54, 56-58, 26-27, 75-77, 79, 85, 87, 95, 97, 98, 215-216, 218; 63/20, 1.14, 13, 14.8, 18, DIG. 2

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 30,516	4/1899	Bean	D11/48
D. 146,495	3/1947	Chernow	D11/43
D. 146,936	6/1947	Chernow	D11/43
D. 152,271	1/1949	Kramer	D11/48
155,682	10/1874	Steinheuer	.	
D. 155,970	11/1949	Cohen	D11/40
D. 156,584	12/1949	Tylon	D44/48
D. 195,468	6/1963	Rust	D11/43
241,462	5/1881	Washburn	.	
D. 265,808	8/1982	Barr	D11/26
D. 270,046	8/1983	Burkheimer	D11/79
300,488	6/1884	Lehmann	.	
D. 301,564	6/1989	Gatsos	D11/43
D. 305,412	1/1990	Zemer	.	
D. 325,542	4/1992	Rubin et al.	D11/50
D. 370,865	6/1996	Brisk	D11/40
D. 370,874	6/1996	Muller et al.	D11/218
D. 376,768	12/1996	Ross	D11/40
1,477,235	12/1923	Ballou, Jr.	D11/23
2,164,018	6/1939	Morehouse	D11/41
2,713,863	7/1955	Handerson	.	
2,769,322	11/1956	Czuch	.	
3,345,830	10/1967	Fontaine	.	
3,575,013	4/1971	Chernow	.	

4,195,492	4/1980	Johnson	.
4,928,367	5/1990	Seidman	.
5,239,841	8/1993	Zwart	.
5,433,088	7/1995	Mahar	.

OTHER PUBLICATIONS

Goldschmiede-Zeitung *European Jeweler*; p. 203; #2—Ring in Gold; Mar. 1967.

Primary Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Marger, Johnson, McCollom & Stolowitz, P.C.


[57] **CLAIM**

The ornamental design for a piece of body piercing jewelry, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a piece of body piercing jewelry showing my new design;
 FIG. 2 is a top view of FIG. 1;
 FIG. 3 is a left side elevation view of FIG. 1, the right side being a mirror image;
 FIG. 4 is a front view of FIG. 1;
 FIG. 5 is a bottom view of FIG. 1;
 FIG. 6 is a perspective view of a second embodiment of the design of FIG. 1;
 FIG. 7 is a top view of FIG. 6;
 FIG. 8 is a left side elevation view of FIG. 6, the right side being a mirror image;
 FIG. 9 is a front view of FIG. 6;
 FIG. 10 is a bottom view of FIG. 6;
 FIG. 11 is a perspective view of a third embodiment of the design of FIG. 1;
 FIG. 12 is a top view of FIG. 11;
 FIG. 13 is left side elevation view of FIG. 11, the right side being a mirror image;
 FIG. 14 is a front view of FIG. 11; and,
 FIG. 15 is a bottom view of FIG. 11.

1 Claim, 3 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15