



US00D394436S

United States Patent [19]

Hall et al.

[11] Patent Number: Des. 394,436

[45] Date of Patent: **May 19, 1998

[54] **HEADSET ASSEMBLY**

[75] Inventors: **Ronald W. Hall**, Stillwater, Minn.;
Harry B. Taylor, Lafayette; **Edward L. Flick**, Denver, both of Colo.

[73] Assignee: **Minnesota Mining & Manufacturing Company**, St. Paul, Minn.

[**] Term: **14 Years**

[21] Appl. No.: **69,372**

[22] Filed: **Apr. 17, 1997**

[51] LOC (6) Cl. **14-01**

[52] U.S. Cl. **D14/206**

[58] Field of Search D14/137, 138,
D14/147, 192, 205, 206, 223, 224, 249;
181/129, 130, 137; 379/430, 444; 381/25,
68, 74, 151, 158, 183, 187

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 342,947 1/1994 Totsuka D14/205 X

D. 364,417 11/1995 Fitzgerald D14/206 X
4,882,745 11/1989 Silver 381/183 X
5,333,206 7/1994 Koss D14/205 X

Primary Examiner—Sandra L. Morris
Assistant Examiner—Nanda Bondade
Attorney, Agent, or Firm—Merchant, Gould, Smith, Edell,
Welter & Schmidt, P.A.

[57] **CLAIM**

The ornamental design for a headset assembly, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a headset assembly in accordance with the present invention; FIG. 2 is a front view of the headset assembly of FIG. 1; FIG. 3 is a rear view of the headset assembly of FIG. 1; FIG. 4 is a left side view of the headset assembly of FIG. 1; FIG. 5 is a right side view of the headset assembly of FIG. 1; FIG. 6 is a top view of the headset assembly of FIG. 1; and, FIG. 7 is a bottom view of the headset assembly of FIG. 1.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

