



US00D394446S

United States Patent [19]
Nagaoka

[11] **Patent Number: Des. 394,446**

[45] **Date of Patent: **May 19, 1998**

[54] **CAMERA**

[75] **Inventor: Yasuki Nagaoka, Ohmiya, Japan**

[73] **Assignee: Nikon Corporation, Tokyo, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 74,825**

[22] **Filed: Aug. 11, 1997**

[30] **Foreign Application Priority Data**

Feb. 14, 1997 [JP] Japan 9-4180

[51] **LOC (6) Cl. 16-01**

[52] **U.S. Cl. D16/212; D16/209**

[58] **Field of Search D16/200-205,
D16/208, 209, 211-213, 216-218; 396/448,
535-543**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 287,733 1/1987 Ago et al. D16/212

D. 323,336 1/1992 Moro et al. D16/212
D. 359,501 6/1995 Hamamura D16/209
D. 365,355 12/1995 Horikiri et al. D16/209
4,556,304 12/1985 Fukuda 396/448

Primary Examiner—Ted Shooman
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Oliff & Berridge, PLC

[57] **CLAIM**

The ornamental design for a camera, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a camera showing our new design;

FIG. 2 is a left side elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front perspective view thereof; and,

FIG. 8 is a front perspective view thereof with a lens cover opened.

1 Claim, 4 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8

