



US00D394480S

United States Patent [19]
Heins

[11] **Patent Number: Des. 394,480**

[45] **Date of Patent: **May 19, 1998**

[54] **MULTIELASTOMERIC BAND EXERCISER**

4,326,708	4/1982	Hinds	482/123
4,371,162	2/1983	Hartzell	482/123
5,125,649	6/1992	Fuller	482/106
5,653,665	8/1997	Neely	482/123

[76] **Inventor: Timothy M. Heins, P.O. Box 2545, Poulsbo, Wash. 98370**

[**] **Term: 14 Years**

Primary Examiner—Philip S. Hyder
Attorney, Agent, or Firm—Ronald M. Anderson

[21] **Appl. No.: 69,500**

[57] **CLAIM**

[22] **Filed: Apr. 22, 1997**

The ornamental design for a multielastomeric band exerciser, as shown.

[51] **LOC (6) Cl. 21-02**

[52] **U.S. Cl. D21/191**

[58] **Field of Search** D21/191, 192, D21/193, 194, 195; 482/121, 122, 123, 124, 125, 126

DESCRIPTION

FIG. 1 is an isometric view of a preferred embodiment of a multielastomeric band exerciser, illustrating the ornamental design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a front elevational view thereof; and,


FIG. 6 is a right side elevational view thereof; wherein the left side view is a mirror image of the right side view.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 274,539	7/1984	Bankier	D21/198
D. 275,213	8/1984	Johnson	D21/191
D. 277,219	1/1985	Johnson	D21/191
D. 355,002	1/1995	Bergston	D21/191
3,740,033	6/1973	Kamp	482/123
4,200,281	4/1980	Wang	482/123

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6