

US00D394505S

United States Patent [19]

Hayashi

[11] Patent Number: **Des. 394,505**

[45] Date of Patent: ****May 19, 1998**

[54] **NON-CONTACT EYE-PRESSURE MEASURING APPARATUS**

[75] Inventor: **Hideki Hayashi**, Tokyo, Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **64,218**

[22] Filed: **Dec. 24, 1996**

[30] **Foreign Application Priority Data**

Jul. 9, 1996 [JP] Japan 8-20449

[51] LOC (6) Cl. **24-01**

[52] U.S. Cl. **D24/172**

[58] Field of Search D24/172; 128/645, 128/652, 661.06; 351/212, 211, 200, 208, 209, 205, 221

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 316,144 4/1991 Nishimura D24/172

D. 320,077 9/1991 Koizumi D24/172
D. 330,769 11/1992 Blaha et al. D24/172
D. 341,541 11/1993 Nishimura D24/172
5,474,066 12/1995 Grolman 128/645

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for a non-contact eye-pressure measuring apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a non-contact eye-pressure measuring apparatus showing my new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

