



US00D394515S

# United States Patent [19]

[11] Patent Number: **Des. 394,515**

**Burns**

[45] Date of Patent: **\*\*May 19, 1998**

[54] **FLASHLIGHT**

[75] Inventor: **Bruce Burns**, Portland, Oreg.

[73] Assignee: **Burns Bros., Inc.**, Portland, Oreg.

[\*\*] Term: **14 Years**

[21] Appl. No.: **70,984**

[22] Filed: **May 16, 1997**

### Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 62,649, Nov. 21, 1996, abandoned.

[51] LOC (6) Cl. .... **26-02**

[52] U.S. Cl. .... **D26/46**

[58] Field of Search ..... D26/37-50; 362/157, 362/158, 183-191, 196, 197, 198, 199, 200, 202, 205, 208

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 311,593	10/1990	Jenne	.....	D26/46
D. 314,634	2/1991	Jenne	.....	D26/46
D. 333,358	2/1993	Burns	.....	D26/46
D. 334,822	4/1993	Antognanyza	.....	D26/46
D. 363,138	10/1995	Poon	.....	D26/46
D. 368,971	4/1996	Garrity	.....	D26/46
3,017,502	1/1962	Dent	.....	D26/49

*Primary Examiner*—Marcus A. Jackson

*Attorney, Agent, or Firm*—Shapiro and Shapiro

### [57] CLAIM

The ornamental design for a flashlight, as shown and described.

### DESCRIPTION

FIG. 1 is a side elevational view of a flashlight showing my new design, the opposite side being a mirror image;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a side elevational view of a second embodiment thereof, differing in size and proportions from the embodiment of FIG. 1, the opposite side being a mirror image;

FIG. 7 is a top plan view of the embodiment of FIG. 6;

FIG. 8 is a bottom plan view of the embodiment of FIG. 6; FIG. 9 is a front elevational view of the embodiment of FIG. 6;

FIG. 10 is a rear elevational view of the embodiment of FIG. 6;

FIG. 11 is a side elevational view of a third embodiment thereof, differing in size and proportions from the embodiments of FIGS. 1 and 6, the opposite side being a mirror image;

FIG. 12 is a top plan view of the embodiment of FIG. 11;

FIG. 13 is a bottom plan view of the embodiment of FIG. 11;

FIG. 14 is a front elevational view of the embodiment of FIG. 11;

FIG. 15 is a rear elevational view of the embodiment of FIG. 11;

FIG. 16 is a side elevational view of a fourth embodiment thereof, differing in size and proportions from the embodiments of FIGS. 1, 6, and 11, and having a raised switch on the top and an attachment hole on the rear end, the opposite side being a mirror image;

FIG. 17 is a top plan view of the embodiment of FIG. 16;

FIG. 18 is a bottom plan view of the embodiment of FIG. 16;

FIG. 19 is a front elevational view of the embodiment of FIG. 16;

FIG. 20 is a rear elevational view of the embodiment of FIG. 16;

FIG. 21 is a side elevational view of a fifth embodiment thereof, differing in size and proportions from the embodiment of FIG. 1, the opposite side being a mirror image;


FIG. 22 is a top plan view of the embodiment of FIG. 21;


FIG. 23 is a bottom plan view of the embodiment of FIG. 21;

FIG. 24 is a front elevational view of the embodiment of FIG. 21; and,


FIG. 25 is a rear elevational view of the embodiment of FIG. 21.

**1 Claim, 10 Drawing Sheets**






**FIG. 1**




**FIG. 2**







**FIG. 3**




**FIG. 5**




**FIG. 4**




**FIG. 6**




**FIG. 7**



**FIG. 8**




**FIG. 9**




**FIG. 10**







**FIG. 14**




**FIG. 15**




**FIG. 11**




**FIG. 12**




**FIG. 13**




**FIG. 16**




**FIG. 17**




**FIG. 18**



**FIG. 19**




**FIG. 20**




**FIG. 21**







**FIG. 22**



**FIG. 23**



**FIG. 25**



**FIG. 24**